



## LIST OF POSTERS (IFSO-EC)

PO3.001

**[WITHDRAWN]**

Al Khalifa K, Al Ansari A

*General Surgery, Bahrain Defence Force hospital, Riffa, Bahrain*

PO3.002

**Sleeve Gastrectomy: Our First 100 patients**

Bedi D S

*Bariatric and Metabolic Diseases, Hope Obesity Centre, Ahmedabad, India*

PO3.003

**Metabolic outcomes of Sleeve Gastrectomy in Type 2 Diabetic obese patients**

Berry M<sup>1</sup>, Urrutia L<sup>1</sup>, Lamoza P<sup>2</sup>, Lahsen R<sup>3</sup>, Bustos A<sup>1</sup>, Schulz M<sup>1</sup>, Luna E<sup>1</sup>, Parra F<sup>1</sup>, Dominguez M<sup>1</sup>, Zanabria R<sup>1</sup>

<sup>1</sup> *Surgery, Clinica Las Condes, Santiago, Chile*

<sup>2</sup> *Surgery, Hospital de Maipu, Santiago, Chile*

<sup>3</sup> *Diabetes, Clinica Las Condes, Santiago, Chile*

PO3.004

**[WITHDRAWN]**

Park Y S, Ahn S H, Park D J, Kim H H

*Surgery, Seoul National University Bundang Hospital, Seongnam-si, Gyeonggi-do, South Korea*

PO3.005

**Laparoscopic sleeve gastrectomy versus Laparoscopic Roux-en-Y Gastric Bypass: A single centre experience with postoperative 2-5 years follow-up**

Vasas P, Hussain A, Balchandra S, Samuel N, Kirk K, Finney J

*Bariatric Surgery, Doncaster Royal Infirmary, Doncaster, United Kingdom*

PO3.006

**SADI Versus SASI As Metabolic Surgery**

Moustafa A A, Sabry K, Fahmy K

*General Surgery, Faculty Of Medicine Ain Shams Univeristy, Cairo, Egypt*

PO3.007

**Numer Needed to Treat for remission of T2DM matters in bariatric / metabolic surgery**

Cierny M<sup>1</sup>, Cierny M, jr.<sup>2</sup>, Trávníček A<sup>1</sup>, Uchál J<sup>1</sup>

<sup>1</sup> *Surgery, Breclav Hospital, Breclav, Czech Republic*

<sup>2</sup> *Neurological Department, University Hospital, Brno, Czech Republic*



PO3.008

**Sleeve gastrectomy and Roux-en-Y gastric bypass in the treatment of type 2 diabetes mellitus.  
Results of a multicenter, randomised controlled study**

Maleckas A<sup>1,2</sup>, Wallenius V<sup>1</sup>, Björnfort N<sup>1</sup>, Orrenius B<sup>3</sup>, Kylebäck A<sup>3</sup>, Björklund P<sup>1</sup>, Werling M<sup>1</sup>, Thorell A<sup>4,5</sup>, Lönroth H<sup>1</sup>, Fändriks L<sup>1</sup>

<sup>1</sup> Dept. of Gastrosurgical Research and Education, Sahlgrenska Academy, University of Gothenburg, Gothenburg, Sweden

<sup>2</sup> Dept. of Surgery, Medical Academy, Lithuanian University of Health Sciences, Kaunas, Lithuania

<sup>3</sup> Dept. of Surgery, Skaraborgs Hospital, Skövde, Sweden

<sup>4</sup> Dept. of Clinical Sciences, Karolinska Institutet, Danderyd hospital, Stockholm, Sweden

<sup>5</sup> Dept. of Surgery, Ersta hospital, Stockholm, Sweden

PO3.009

**[WITHDRAWN]**

Zainutdinov A, Malkov I

Surgery, Kazan Medical Academy, Kazan, Russian Federation

PO3.010

**First National Safety Audit of Laparoscopic Sleeve Gastrectomy in Singapore**

Lee J<sup>1</sup>, Wong A<sup>1</sup>, Lomanto D<sup>2</sup>, Shabbir A<sup>2</sup>, So J<sup>2</sup>, Chan WH<sup>3</sup>, Eng A<sup>3</sup>, Cheng A<sup>4</sup>, Tan TJ<sup>4</sup>, Koura A<sup>5</sup>, Rao J<sup>5</sup>, Kan YM<sup>4</sup>, Pasupathy S<sup>3</sup>

<sup>1</sup> Department of General Surgery, Changi General Hospital, Singapore, Singapore

<sup>2</sup> Department of General Surgery, National University Hospital, Singapore, Singapore

<sup>3</sup> Department of Upper GI and Bariatric Surgery, Singapore General Hospital, Singapore, Singapore

<sup>4</sup> Department of Surgery, Khoo Teck Puat Hospital, Singapore, Singapore

<sup>5</sup> Department of Surgery, Tan Tock Seng Hospital, Singapore, Singapore

PO3.011

**Correction of cardiovascular risk in patients with morbid obesity using bariatric surgery**

Shkroba A<sup>1</sup>, Mitchenko O<sup>1</sup>, Lavryk A<sup>2</sup>

<sup>1</sup> Dislipidemiya, NSC M.D. Strazhesko institute of cardiology, Kiev, Ukraine

<sup>2</sup> Gastrointestinal Surgery, National Institute of Surgery and Transplantation A.A.Shalimova, Kiev, Ukraine

PO3.012

**Value of routine polysomnography in bariatric surgery**

de Raaff C A L<sup>1</sup>, de Vries N<sup>2</sup>, Coblijn U K<sup>3</sup>, Bonjer H J<sup>3</sup>, van Wagenveld B A<sup>1</sup>

<sup>1</sup> Bariatric Surgery, Obesity Center Amsterdam, Amsterdam, Netherlands

<sup>2</sup> Otolaryngology, OLVG West, Amsterdam, Netherlands

<sup>3</sup> Surgery, VU Medical Center, Amsterdam, Netherlands



PO3.013

**Modified biliopancreatic diversion by Scopinaro for the treatment of patients with morbid obesity**

Lavryk A S, Usenko O Y, Manoilo M V, Dmitrenko O P, Klimas A S

*Gastro-intestinal surgery, SI " Shalimovs National Institute of Surgery and Transplantology" NAMS of Ukraine., Kyiv, Ukraine*

PO3.014

**Improvement of nonalcoholic fatty liver disease in morbidly obese patients after sleeve gastrectomy: Association of ultrasonographic findings with lipid profile and liver enzymes**

Ruiz-Tovar J, Alsina ME, Alpera MR, Boix E, Sola-Vera J, Zubiaga L, Gonzalez J, Duran M

*Surgery, University Hospital Rey Juan Carlos, Madrid, Spain*

PO3.015

**Maintenance of multivitamin supplements after sleeve gastrectomy**

Ruiz-Tovar J, Llaverro C, Zubiaga L, Boix E

*Surgery, University Hospital Rey Juan Carlos, Madrid, Spain*

PO3.016

**Gastrointestinal symptoms after bariatric surgery**

Nielsen H J<sup>1</sup>, Erchinger F<sup>1</sup>, Nedrebø B G<sup>2</sup>, Flølo T N<sup>1</sup>, Våge V<sup>1</sup>

<sup>1</sup> *Department of Clinical Medicine, Haukeland University hospital, Voss hospital, Voss, Norway*

<sup>2</sup> *Department of Clinical Science, Haugesund hospital, Haugesund, Norway*

PO3.017

**Weight loss, reflux and reoperations: Our first 100 patients treated with lap. Sleeve Gastrectomy**

Felsenreich D M<sup>1</sup>, Langer F<sup>1</sup>, Kefurt R<sup>1</sup>, Panhofer P<sup>1</sup>, Schermann M<sup>2</sup>, Beckerhinn P<sup>3</sup>, Sperker C<sup>2</sup>, Lenglinger J<sup>4</sup>, Kristo I<sup>4</sup>, Schoppmann S<sup>4</sup>, Prager G<sup>1</sup>

<sup>1</sup> *University Clinic for Surgery, Clinical Department for General Surgery, Vienna, Austria*

<sup>2</sup> *Hospital Rudolfsstiftung, Department of Surgery, Vienna, Austria*

<sup>3</sup> *Hospital Hollabrunn, Department of Surgery, Hollabrunn, Austria*

<sup>4</sup> *Clinical Department of Gastrointestinal Functional Diagnostics, Department of Surgery, Vienna, Austria*

PO3.018

**Management of Leak after sleeve Gastrectomy**

Bedi D S

*Bariatric and Metabolic Diseases, Hope Obesity Centre, Ahmedabad, India*

PO3.019

**Early dumping syndrome is not a complication, but a natural element and a tool to control energy intake, according to patients' perspective after gastric bypass**

Laurenus A, Engström M

*Gastrosurgical Research and Education, Clinical Sciences, The Sahlgrenska Academy, Gothenburg, Sweden*



PO3.020

**Biliopancreatic diversion with duodenal switch – laparoscopy is safe and reduces length of stay**

Edholm D<sup>1</sup>, Axer S<sup>2</sup>, Hedberg J<sup>1</sup>, Sundbom M<sup>1</sup>

<sup>1</sup> Department of surgical sciences, Uppsala University, Uppsala, Sweden

<sup>2</sup> Department of surgical sciences, Torsby Hospital, Torsby, Sweden

PO3.021

**Creation of a de novo retrogastric tunnel during resiting of slipped gastric bands is associated with improved outcomes**

Patel R V<sup>1</sup>, Woodburn P<sup>2</sup>, Skipworth J<sup>1</sup>, Smellie J<sup>1</sup>

<sup>1</sup> Upper GI Surgery, Chelsea and Westminster Hospital, London, United Kingdom

<sup>2</sup> General Surgery, St Mary's Hospital, Imperial College NHS Trust, London, United Kingdom

PO3.022

**Long-term outcome of laparoscopic adjustable gastric banding (LAGB): results of a Swiss single-centre study of 405 patients with up to 18 years follow-up**

Vinzens F<sup>1</sup>, Kilchenmann A<sup>1</sup>, Zumstein V<sup>1</sup>, Slawik M<sup>2</sup>, Gebhart M<sup>2</sup>, Peters T<sup>2</sup>, Peterli R<sup>1</sup>

<sup>1</sup> Visceral Surgery, St. Claraspital, Basel, Switzerland

<sup>2</sup> Interdisciplinary Center of Nutritional and Metabolic Diseases, St. Claraspital, Basel, Switzerland

PO3.023

**The postoperative checklist for bariatric surgery; which parameters should be used?**

van Mil S R, Duinhouwer L E, Zengerink J F, Biter L U, Apers J A

Surgery, Franciscus Gasthuis, Rotterdam, Netherlands

PO3.024

**Case-control study of postoperative blood pressure in patients with hemorrhagic complications after laparoscopic sleeve gastrectomy and matched control**

Janik M R, Kwiatkowski A, Paśnik K

Department of General, Oncologic, Metabolic and Thoracic Surgery, Military Institute of Medicine, Warsaw, Poland

PO3.025

**Gallstone-like enterolith causing small bowel obstruction and perforation, three years after Roux-en-Y gastric bypass and 21 years after cholecystectomy**

Kroijer R<sup>1</sup>, Torzynski K<sup>1</sup>, Mortensen M B<sup>2</sup>, Kristensen S R<sup>3</sup>

<sup>1</sup> Department of Surgery, Sydvestjysk Sygehus, Esbjerg, Denmark

<sup>2</sup> Department of Surgery, Odense University Hospital, Odense, Denmark

<sup>3</sup> Klinisk Institut, Aalborg University Hospital, Aalborg, Denmark

PO3.026

**Gastric ulcer hemorrhage after intragastric balloon insertion-case report**

Mojkowska A<sup>1,2</sup>, Wyleżoł M<sup>1</sup>, Frączek M<sup>2,1</sup>, Basaj J<sup>2</sup>, Pietruszka M<sup>1</sup>, Redlisz-Redlicki G<sup>1</sup>

<sup>1</sup> General Surgery Clinic, Military Institute of Aviation Medicine, Warsaw, Poland

<sup>2</sup> Department of General and Oncological Surgery, Praski Hospital, Warsaw, Poland



PO3.027

**Treatment of Deficiencies after Biliopancreatic Diversion with or without Duodenal Switch; a Major Challenge**

Homan J<sup>1</sup>, Schijns W<sup>1</sup>, Aarts E O<sup>1</sup>, van Laarhoven C J H M<sup>2</sup>, Janssen I M C<sup>1</sup>, Berends F J<sup>1</sup>, de Boer H<sup>3</sup>

<sup>1</sup> Surgery, Rijnstate Hospital, Arnhem, Netherlands

<sup>2</sup> Surgery, Radboud University Medical Centre, Nijmegen, Netherlands

<sup>3</sup> Internal Medicine, Rijnstate Hospital, Arnhem, Netherlands

PO3.028

**Bleeding after laparoscopic sleeve gastrectomy: results of a single centre of excellence after over 600 procedures**

Iossa A, Guida A, Abdelgawad M, De Angelis F, Ciccioriccio C, Termine P, Silecchia G

*Division of General Surgery and Bariatric Centre of Excellence-Department of Medico-Surgical Sciences and Biotechnologies, University of Rome "Sapienza", Latina, Italy*

PO3.029

**Perigastric abscess 6 months after Laparoscopic Sleeve Gastrectomy (LSG). Case Report and review of literature**

Prevedello L, Albanese A, Foletto M

*Bariatric Unit, Padova University Hospital, Padova, Italy*

PO3.030

**Laparoscopic management of bariatric surgery complications**

Timofte D, Ionescu L, Hutanu I, Blaj M

*The 3<sup>rd</sup> Surgical Unit, University of Medicine and Pharmacy Gr.T. Popa, Iasi, Romania*

PO3.031

**Gastro-pulmo- bronchial fistula after leak in resection line in sleeve gastrectomy**

Holeczy P<sup>1,2</sup>, Gryga A<sup>3</sup>, Vaverka P<sup>3</sup>, Buzga M<sup>4</sup>, Bolek M<sup>2</sup>, Fojtik P<sup>5</sup>, Neoral C<sup>6</sup>

<sup>1</sup> Department of surgical disciplines Czech republic , Medical Faculty, Ostrava University, Ostrava, Czech Republic

<sup>2</sup> Department of surgery, Vitkovice hospital, Ostrava, Czech Republic

<sup>3</sup> Department of surgery , Hospital Prostejov, Prostejov, Czech Republic

<sup>4</sup> Department of physiology and patofysiology , Medical Faculty, Ostrava University, Ostrava, Czech Republic

<sup>5</sup> Department of gastroenterology, Vitkovice hospital, Ostrava, Czech Republic

<sup>6</sup> Department of surgery, Medical faculty, Palacky university, Olomouc, Czech Republic

PO3.032

**Intrathoracic migration after LSG – can it be controlled?**

Maura P, Simona F, Copaescu C

*General surgery, Ponderas Hospital, Bucharest, Romania*



PO3.033

**Metabolic deficiencies after a restrictive bariatric operation**

Kohylas N<sup>1</sup>, Lapatsanis D<sup>2</sup>

<sup>1</sup> *D Surgical Department, "Evangelismos" General Hospital, Athens, Greece*

<sup>2</sup> *B Surgical Department, "Evangelismos" General Hospital, Athens, Greece*

PO3.034

**Comparative study between silastic ring vertical gastroplasty and sleeve gastrectomy**

Galea RF<sup>1</sup>, Catoi Galea AF<sup>2</sup>, Mironiuc A<sup>1</sup>, Chiorescu S<sup>1</sup>, Pop E<sup>1</sup>, Muresan D<sup>1</sup>

<sup>1</sup> *Second Surgical Clinic, Iuliu Hatieganu University of Medicine and Pharmacy, Cluj-Napoca, Romania*

<sup>2</sup> *Physiology, Iuliu Hatieganu University of Medicine and Pharmacy, Cluj-Napoca, Romania*

PO3.035

**Conversion from Single Anastomosis Duodeno-Ileal Bypass with sleeve gastrectomy (SADI-S) for malabsorptive issues to none or less malabsorptive procedures**

Curell A, Vilallonga R, Fort J M, Balibrea J M, Kraft M, Alberti P, Caubet E, Cesardo M, González O, Rodrigues V, Armengol M

*Endocrine, Metabolic and Bariatric Unit, Vall d'Hebron University Hospital, Universitat Autònoma de Barcelona; Center of Excellence for the EAC-BC, Barcelona, Spain*

PO3.036

**Short-term results in SG comparing two handling in the staple line**

Conoman H

*Surgery, Clinica bicentenario, Santiago, Chile*

PO3.037

**Personalized exercise prescription: does it work after bariatric surgery?**

Mackenzie, K, Wang W, Kastanias P, Robinson S, Whitehead L

*Toronto Western Hospital Bariatric Clinic, University Health Network, Toronto, Ontario, Canada*

PO3.038

**Can improving post-bariatric surgery constipation rates reduce ER visits and hospital readmissions?**

Wang W, Kastanias P, Robinson S, Jackson T, Lopaz C, Mackenzie K

*Bariatric Surgery Program, Toronto Western Hospita, Toronto Ontari, Canada*

PO3.039

**The Bariatric Network of Veneto Region (VON): a way to improving care through affordability**

Foletto M<sup>1</sup>, Busetto L<sup>1</sup>, Fabris R<sup>1</sup>, Dal Prà C<sup>1</sup>, Prevedello L<sup>1</sup>, Serra R<sup>1</sup>, Saia M<sup>2</sup>, Vettor R<sup>1</sup>

<sup>1</sup> *Bariatric Unit, Padova University Hospital, Padova, Italy*

<sup>2</sup> *Healthcare Administration Office, Regione Veneto, Venezia, Italy*



PO3.040

**[WITHDRAWN]**

Povoroznyuk V<sup>1</sup>, Dzerovych N<sup>1</sup>, Martynyuk L<sup>2</sup>, Kovtun T<sup>1</sup>

<sup>1</sup> Department of Clinical Physiology and Pathology of Locomotor Apparatus, D.F. Chebotarev Institute of Gerontology NAMS Ukraine, Kyiv, Ukraine, Kyiv, Ukraine

<sup>2</sup> Emergency department and emergency medical care, I. Hobachevsky Ternopil State Medical University, Ternopil, Ukraine

PO3.041

**[WITHDRAWN]**

Povoroznyuk V<sup>1</sup>, Martynyuk Lar<sup>2</sup>, Dzerovych N<sup>1</sup>, Martynyuk Lil<sup>2</sup>

<sup>1</sup> Department of Clinical Physiology and Pathology of Locomotor Apparatus Institute of Gerontology NAMS Ukraine, D. F. Chebotarev Institute of Gerontology NAMS Ukraine, Kyiv, Ukraine, Kyiv, Ukraine

<sup>2</sup> Emergency department and emergency medical care, I. Hobachevsky Ternopil State Medical University, Ternopil, Ukraine

PO3.042

**QT-interval shortening after bariatric surgery depends on the applied heart rate correction equation**

Grasser EK<sup>1</sup>, Ernst B<sup>2</sup>, Thurnheer M<sup>2</sup>, Schultes B<sup>2</sup>

<sup>1</sup> Department of Medicine/Physiology, University of Fribourg, Fribourg, Switzerland

<sup>2</sup> Interdisciplinary Obesity Center, eSwiss Medical & Surgical Center, St. Gallen, Switzerland

PO3.043

**Epidemiological evaluation of the cause of obesity in women who referred to referral bariatric surgery center, Shiraz University of Medical Sciences, Southern of Iran**

Amini M<sup>1,2</sup>, Sepehrimanesh M<sup>3</sup>, Kherad M<sup>4</sup>, Vafa L<sup>1</sup>, Setoodeh M<sup>1</sup>, Zare M<sup>1</sup>, Nahafi S<sup>1</sup>, Koohpeyma M R<sup>5</sup>, Zardosht Z<sup>4</sup>

<sup>1</sup> Obesity Specialized Clinic, Ghadir Mother and Child Hospital, Shiraz University of Medical Sciences, Shiraz, Iran

<sup>2</sup> Laparoscopy Research Center, Shiraz University of Medical Sciences, Shiraz, Iran

<sup>3</sup> Gastroenterohepatology Research Center, Shiraz University of Medical Sciences, Shiraz, Iran

<sup>4</sup> Shiraz Burn Research Center, Shiraz University of Medical Sciences, Shiraz, Iran

<sup>5</sup> Medical Surgical Nursing, Yasuj University of Medical Science, Yasuj, Iran

PO3.044

**Postoperative pain after laparoscopic sleeve gastrectomy: Comparison between intravenous analgesia alone or associated with epidural analgesia or with port-site infiltration with local anaesthesia**

Ruiz-Tovar J<sup>1</sup>, Muñoz JL<sup>2</sup>, Gonzalez J<sup>1</sup>, Zubiaga L<sup>2</sup>, Jimenez M<sup>1</sup>, Garcia A<sup>1</sup>, Ferrigni C<sup>1</sup>, Duran M<sup>1</sup>

<sup>1</sup> Surgery, University Hospital Rey Juan Carlos, Madrid, Spain

<sup>2</sup> Anaesthesiology, University Hospital Elche, Alicante, Spain



PO3.045

**Implementation of the Spanish National Enhanced Recovery Programme (ERAS) in bariatric surgery: A pilot study**

Ruiz-Tovar J, Royo P, Muñoz JL, Duran M, Redondo E, Zubiaga L, Ramirez JM, GERM  
*Bariatric Surgery, ERAS-Spain, Zaragoza, Spain*

PO3.046

**Health-related quality of life, sexuality and hormone status after bariatric surgery**

Paul R, Wirén M, Frisk J, Andersson E  
*Surgery, Landstinget i Östergötland, Norrköping, Sweden*

PO3.047

**Metabolic profile in obese patients: the bariatric surgery impact**

Timofte D<sup>1</sup>, Hristov I<sup>2</sup>, Mocanu V<sup>2</sup>

<sup>1</sup> *The 3<sup>rd</sup> Surgical Unit, Although morbidly obese patients are associated with a high anesthetic risk we did not encounter major problems in the 173 cases operated in St. Spiridon Hospital from Iasi, Romania., Iasi, Romania*

<sup>2</sup> *Endocrinological Unit, University of Medicine and Pharmacy Gr. T. Popa, Iasi, Romania*

PO3.048

**Are we there yet? - nutritional interventions' insights after gastric sleeve**

Reurean-Pintilei D<sup>1</sup>, Pintilei Ella<sup>1</sup>, Timofte D<sup>2</sup>

<sup>1</sup> *Nutrition Unit, Consultmed Hospital, Iasi, Romania*

<sup>2</sup> *The 3<sup>rd</sup> Surgical Unit, University of Medicine and Pharmacy Gr. T. Popa, Iasi, Romania*

PO3.049

**The influence of 10-week training program on physical ability parameters in bariatric patients**

Pintar T<sup>1</sup>, Carli T<sup>1</sup>, Jokoanovič R<sup>2</sup>, Stotl I<sup>1,3</sup>, Hadžić V<sup>2</sup>

<sup>1</sup> *Abdominal Surgery, UMC Ljubljana, Ljubljana, Slovenia*

<sup>2</sup> *Faculty of Sport Ljubljana, University of Ljubljana, Ljubljana, Slovenia*

PO3.050

**All the surgeons should know about obstructive sleep apnea and bariatric surgery**

Mitrofan E<sup>1</sup>, Timofte D<sup>2</sup>

<sup>1</sup> *Pneumology Unit, Pneumology Hospital, Iasi, Romania*

<sup>2</sup> *The 3<sup>rd</sup> Surgical Unit, University of Medicine and Pharmacy Gr. T. Popa, Iasi, Romania*

PO3.051

**Psychological consequences of massive weight loss after bariatric surgery**

Herlesova J

*Clinical psychology, OB clinic, Praha 3, Czech Republic*





PO3.052

**Liver of morbidly obese patients undergoing bariatric surgery fails to activate antioxidant response in early phases of NAFLD-NASH progression**

Fantola G<sup>1</sup>, Perra A<sup>2</sup>, Mastino D<sup>1</sup>, Pintus S<sup>1</sup>, Canton M<sup>2</sup>, Cabras V<sup>1</sup>, Moroni R<sup>1</sup>

<sup>1</sup> Department of Surgery, "Brotzu" Hospital, Cagliari, Italy

<sup>2</sup> Biomedical Sciences, University of Cagliari, Cagliari, Italy

PO3.053

**Perioperative Management Protocol for Obstructive Sleep Apnea in a High Volume Centre Of Excellence For Bariatric And Metabolic Surgery**

Godoroja D<sup>1,2</sup>, Copaescu C<sup>3</sup>

<sup>1</sup> Anaesthesiology and Intensive Care, Ponderas Hospital, Centre of Excellence for Bariatric and Metabolic Surgery, Bucharest, Romania

<sup>2</sup> Anaesthesiology, University of Medicine Carol Davila, Bucharest, Romania

<sup>3</sup> Bariatric Surgery, Ponderas Hospital, Centre of Excellence for Bariatric and Metabolic Surgery, Bucharest, Romania

PO3.054

**Attitudes towards and knowledge about metabolic surgery among internal medicine and family physicians in the Czech republic: We Can Do Better**

Ciorny M, jr.<sup>1,2</sup>, Kovacikova Y<sup>3</sup>, Travnik A<sup>4</sup>, Ciorny M<sup>4</sup>

<sup>1</sup> Department of Neurology, University Hospital Brno, Brno, Czech Republic

<sup>2</sup> Medical Faculty, Masaryk University, Brno, Czech Republic

<sup>3</sup> Faculty of Humanities, Tomas Bata University in Zlin, Zlin, Czech Republic

<sup>4</sup> Surgical department, Breclav Hospital, Breclav, Czech Republic

PO3.055

**Bariatric Psychology, psychological care in Bariatric Surgery**

Hout G, Eijnden K, Luymes R, Noldus S, Robben L, Montfort G, Nienhuijs, S  
Obesity Centre, Catharina Hospital, Eindhoven, Netherlands

PO3.056

**Effects of laparoscopic sleeve gastrectomy, with or without antrum preservation, on quality of life: a randomized study**

Molina A<sup>1</sup>, Sabench F<sup>1</sup>, Vives M<sup>1</sup>, Raga E<sup>1</sup>, Bonada A<sup>2</sup>, Sánchez A<sup>1</sup>, París M<sup>1</sup>, Blanco S<sup>1</sup>, Muñoz A<sup>1</sup>, Domènech J<sup>1</sup>, Piñana ML<sup>1</sup>, Homs E<sup>1</sup>, Bartra E<sup>1</sup>, Del Castillo D<sup>1</sup>

<sup>1</sup> Surgery, University Hospital of Sant Joan. Rovira i Virgili University, Reus, Spain

<sup>2</sup> Nutrition, University Hospital of Sant Joan. Rovira i Virgili University, Reus, Spain

PO3.057

**The psychological approach to the obese person who prepares for the bariatric surgery**

Paval M, Timofte D

The 3<sup>rd</sup> Surgical Unit, University of Medicine and Pharmacy, Iasi, Romania



PO3.058

**The impact of eating disorders on body mass and type 2 diabetes mellitus compensation in obese patients treated with different approaches to therapy**

Melnikova E V, Babenko A Y, Neimark A E

*Institute of Endocrinology, Federal Almazov North-West Medical Research Centre, Saint-petersburg, Russian Federation*

PO3.059

**Obesity and metabolic syndrome retrospective cohort studies of laparoscopic adjustable banding vs medical treatment – three to seven years after surgery**

Avinoah E, Lansdberg L, Miyrahi S

*Surgery A, Soroka medical center, Faculty of health sciences, Ben-Gurion University, Beer-Sheva, Israel*

PO3.060

**Laparoscopic band-separated mini-gastric bypass: a case report**

Ospanov OB

*Endosurgical department, Astana medical University, Astana, Kazakhstan*

PO3.061

**Sleeve gastrectomy combined with the simplified Hill procedure. The key against postbariatric gastro-esophageal reflux disease?**

Gero D, Ribeiro-Parenti L, Arapis K, Marmuse JP

*Department of Digestive Surgery, University Hospital Bichat, Paris, France*

PO3.062

**[WITHDRAWN]**

Lange J, von Feilitzsch M, Bachmann R, Königsrainer A, Zdichavsky M

*Department of General Visceral and Transplant Surgery, University Hospital Tübingen, Tübingen, Germany*

PO3.063

**One year results of a randomized controlled multicenter study of an incisionless operating platform for primary obesity (pose™) vs. diet-exercise alone: the milepost study**

Miller K<sup>1</sup>, Turro R<sup>2</sup>, Espinos, G<sup>2</sup>, Greve J W<sup>3</sup>

<sup>1</sup> *Surgery, Diakonissen & Wehrle Private Clinic, Salzburg, Austria*

<sup>2</sup> *Endoscopy, Hospital Quirón Teknon, Barcelona, Spain*

<sup>3</sup> *Surgery, Atrium-Orbis Medical Centre, Heerlen, Netherlands*

PO3.064

**Comparing the efficacy of laparoscopic sleeve gastrectomy and laparoscopic gastric plication in patients with obesity and metabolic disorders**

Lavryk A<sup>1</sup>, Mylytsya K<sup>2</sup>, Mylytsya M<sup>2</sup>, Lutsenko N<sup>2</sup>, Omelyukh L<sup>2</sup>

<sup>1</sup> *Surgery, National Institute surgery and transplantology n.a. Shalimov, Kiev, Ukraine*

<sup>2</sup> *surgery, Zaporizhzhya medical academy of post diploma education, Zaporizhzhya, Ukraine*



PO3.065

**Ligamentum teres hepatis - a useful structure in bariatric surgery?**

Lange V<sup>1</sup>, Stumpf O<sup>1</sup>, Rosenthal A<sup>2</sup>

<sup>1</sup> Obesity surgery, Vivantes Klinikum Spandau, Berlin, Germany

<sup>2</sup> Outpatient Clinic Dr. A. Rosenthal, Privatpraxis, Berlin, Germany

PO3.066

**Long – term effect of percutaneous electrical neurostimulation of dermatome T6 for appetite reduction and weight loss in obese patients**

Ruiz-Tovar J, Llavero C, Giner L

Obesity, Garcilaso Clinic, Madrid, Spain

PO3.067

**Effect of pectoral electrostimulation on reduction of mammary ptosis after bariatric surgery**

Ruiz-Tovar J, Llavero C, Giner L

Obesity, Garcilaso Clinic, Madrid, Spain

PO3.068

**Intragastric balloon therapy for obese and overweight patients: Results in 318 patients**

Berry M<sup>1</sup>, Urrutia L<sup>1</sup>, Lamoza P<sup>2</sup>, Ghiardo D<sup>3</sup>, Muñoz G<sup>3</sup>, Parra F<sup>1</sup>, Dominguez M<sup>1</sup>, Zanabria R<sup>1</sup>

<sup>1</sup> Surgery, Clinica Las Condes, Santiago, Chile

<sup>2</sup> Surgery, Hospital de Maipu, Santiago, Chile

<sup>3</sup> Nutrition, Clinica Las Condes, Santiago, Chile

PO3.069

**Endoscopic Management of Morbid Obesity: Where Do We Stand?**

Amr ElSherif

Surgery, Medical Research Institute - Alexandria University, Alexandria, Egypt

PO3.070

**Thinking about the mechanical theory of fistulas and dehiscence in a sleeve gastrectomy. An experimental study of the resistance of the linear gastric stapling**

Fournier P<sup>1,2</sup>, De Courville G<sup>1</sup>, Suter M<sup>2</sup>, Demartines N<sup>2</sup>, Marmuse JP<sup>1</sup>

<sup>1</sup> Department of General Surgery, University Hospital Bichat Claude Bernard, Paris, France

<sup>2</sup> Department of Visceral Surgery, University Hospital CHUV, Lausanne, Switzerland

PO3.071

**Weight management: Obalon® vs. Orbrera™ Intra-gastric Balloon**

Al Sharqawi N, Al Sabah S, Al Mulla A

Surgery, Al Amiri Hosital - Ministry of Health, Kuwait

PO3.072

**Specimen extraction technique via umbilical incision in laparoscopic sleeve gastrectomy**

Yang W, Wang C, Yang J

Department of General Surgery, The First Affiliated Hospital of Jinan University, Guangzhou, China



PO3.073

**Chronic Pain after Bariatric surgery: Better or Worse? Do psychosocial factors play a role?**

Kastanias P<sup>1</sup>, Buzon-Tan A<sup>2</sup>, Wang W<sup>1</sup>, Robinson S<sup>1</sup>, Mackenzie K<sup>1</sup>

<sup>1</sup> *Bariatric program, University Health Network, Toronto, Canada*

<sup>2</sup> *Pain Service, University Health Network, Toronto, Canada*

PO3.074

**Bariatric Surgery in Adolescents - a Two-year Follow-up Study**

Frisk J, Öhrn C, Krook H, Andersson E

*Dep of Surgery, Vrinnevi Hospital, Norrköping, Sweden*

PO3.075

Safety and efficiency of sleeve gastrectomy in elderly patients

Kohylas N<sup>1</sup>, Lapatsanis D<sup>2</sup>

<sup>1</sup> *D Surgical Department, "Evangelismos" General Hospital, Athens, Greece*

<sup>2</sup> *B Surgical Department, "Evangelismos" General Hospital, Athens, Greece*

PO3.076

**Duodenojejunal bypass decreased the high-fat-diet-induced intestinal hyperpermeability in rats**

Yang P<sup>1,2,3</sup>, Yang WS<sup>4,2,5</sup>, Chen CN<sup>2,3</sup>, Lai HS<sup>3</sup>, Nien HC<sup>6,4,7</sup>, Lin MT<sup>3</sup>, Yu L CH<sup>8</sup>

<sup>1</sup> *Department of Surgery, National Taiwan University Hospital Jin-Shan Branch, New Taipei City, Taiwan*

<sup>2</sup> *Center for obesity, life style and metabolic surgery, National Taiwan University Hospital, Taipei, Taiwan*

<sup>3</sup> *Department of Surgery, National Taiwan University Hospital, Taipei, Taiwan*

<sup>4</sup> *Graduate Institute of Clinical Medicine, College of Medicine, National Taiwan University, Taipei, Taiwan*

<sup>5</sup> *Department of Internal Medicine, National Taiwan University Hospital, Taipei, Taiwan*

<sup>6</sup> *Department of Family Medicine, Liver Disease Prevention & Treatment Research Foundation, Taipei, Taiwan*

<sup>7</sup> *Department of Family Medicine, National Taiwan University Hospital, Taipei, Taiwan*

<sup>8</sup> *Graduate Institute of Physiology, College of Medicine, National Taiwan University, Taipei, Taiwan*

PO3.077

**[WITHDRAWN]**

Azevedo J L

*Surgery, Federal University of Sao Paulo, Sao Paulo, Brazil*



PO3.078

**Impact of bariatric gut surgical rearrangement on glucose absorption in vitro**

Lozinska L<sup>1,2</sup>, Podpriatov SS<sup>3</sup>, Podpryatov SE<sup>3</sup>, Wolinski J<sup>4</sup>, Goncharova K<sup>1,5,2</sup>, Weström B<sup>1</sup>,  
Pierzynowski S<sup>1,2,5,6</sup>

<sup>1</sup> Dept Biol, Lund University, Lund, Sweden

<sup>2</sup> R & D, SGPlus, Trelleborg, Sweden

<sup>3</sup> Clinical research centre of bonding/welding surgery and new surgical technologies, Kyiv municipal hospital clinic #1, Kyiv, Ukraine

<sup>4</sup> Dept Endocrinology, KIAPAN Polish Academy of Sciences, Jablonna, Poland

<sup>5</sup> R & D, Innovation Centr - Edoradca, Tczew, Poland

<sup>6</sup> Dept Medical Biology, Inst of Rural Health, Lublin, Poland

PO3.079

**Role of the duodenum in the regulation of glucose uptake after bariatric surgery - clinical data**

Podpryatov SE<sup>1</sup>, Podpriatov SS<sup>1</sup>, Gichka SG<sup>1</sup>, Korchak VP<sup>1</sup>, Dovgich TA<sup>1</sup>, Lozinska L<sup>2,3</sup>, Woilinski J<sup>4</sup>,  
Goncharova K<sup>2,3,5</sup>, Pierzynowski SG<sup>2,3,5,6</sup>

<sup>1</sup> Clinical Research Centre of Bonding/Welding Surgery and New Surgical Technologies, Kyiv Municipal Hospital Clinic #1, Kyiv, Ukraine

<sup>2</sup> Dept Biol, Lund University, Lund, Sweden

<sup>3</sup> R & D, SGPlus, Trelleborg, Sweden

<sup>4</sup> Dept Endocrinology, KIAPAN Polish Academy of Science, Jablonna, Poland

<sup>5</sup> R & D, Innovation Centre - Edoradca, Tczew, Sweden

<sup>6</sup> Dept Med Biol, Inst Rural Health, Lublin, Poland

PO3.080

**Bile acids in morbidly obese submitted to sleeve gastrectomy**

Catoi Galea AF<sup>1</sup>, Galea RF<sup>2</sup>, Mironiuc A<sup>2</sup>, Parvu A<sup>1</sup>, Chiorescu S<sup>2</sup>

<sup>1</sup> Functional Biosciences, "Iuliu Hațieganu" University of Medicine and Pharmacy, Cluj-Napoca, Romania

<sup>2</sup> Second Surgical Clinic, "Iuliu Hațieganu" University of Medicine and Pharmacy, Cluj-Napoca, Romania

PO3.081

**Ghrelin levels after gastric plication and sleeve gastrectomy in an experimental model of obesity**

Cabrera A, Sabench F, Vives M, Raga E, Molina E, Muñoz A, Sánchez A, París M, Blanco S, Hernández M, Homa E, Domènech J, Homs E, Piñana ML, Del Castillo D  
Surgery, University Hospital of Sant Joan. Rovira i Virgili University, Reus, Spain

PO3.082

**Acute complement C3 veranderingen ten gevolge van bariatrische chirurgie**

van Mil S R<sup>1</sup>, Biter L U<sup>1</sup>, van de Geijn G J M<sup>2</sup>, Mannaerts G H H<sup>1</sup>, Apers J A<sup>1</sup>, Castro Cabezas M<sup>3</sup>

<sup>1</sup> Surgery, Sint Franciscus Gasthuis, Rotterdam, Netherlands

<sup>2</sup> Clinical Chemistry, Sint Franciscus Gasthuis, Rotterdam, Netherlands

<sup>3</sup> Internal Medicine, Sint Franciscus Gasthuis, Rotterdam, Netherlands



PO3.083

**Factors Leading to Self-removal from the Bariatric Surgery Program after Attending the Orientation Session**

Yang K<sup>1</sup>, Zhang B<sup>2</sup>, Kastanias P<sup>3</sup>, Wang W<sup>3</sup>, Okraniec A<sup>3,1</sup>, Sockalingam S<sup>3,1</sup>

<sup>1</sup> *Medicine, University of Toronto, Toronto, Canada*

<sup>2</sup> *Engineering Science, University of Toronto, Toronto, Canada*

<sup>3</sup> *Bariatric Surgery Program, Toronto Western Hospital, Toronto Ontario, Canada*

PO3.084

**Sarcopenia is associated with insulin resistance and the early phase of type 2 diabetes: the Korean Health and Genome Study (KHGS)**

Son JW<sup>1</sup>, Lee SS<sup>1</sup>, Kim SR<sup>1</sup>, Yoo SJ<sup>1</sup>, Nam H Cho<sup>2</sup>

<sup>1</sup> *Internal medicine, Bucheon St. Mary's Hospital, The Catholic University of Korea, Bucheon, South Korea*

<sup>2</sup> *Preventive medicine, Ajou University School of Medicine, Suwon, South Korea*

PO3.085

**Torsion of the Wandering Spleen and Pancreatic Tail precipitating Diabetic Ketoacidosis in a Prader Willi syndrome patient**

Loh WJ<sup>1</sup>, Tham KW<sup>1</sup>, Chan WH<sup>2</sup>

<sup>1</sup> *Department of Endocrinology, Singapore General Hospital, Singapore, Singapore*

<sup>2</sup> *Department of Upper GI and Bariatric, Singapore General Hospital, Singapore, Singapore*

PO3.086

**Fecal score as a measurement for changes in bowel habits after roux-en-y gastric bypass: a prospective study**

Schijns W<sup>1</sup>, Aarts E O<sup>1</sup>, Berends F J<sup>1</sup>, Janssen I M C<sup>1</sup>, Schweitzer D H<sup>2</sup>

<sup>1</sup> *Bariatric Surgery, Rijnstate, Arnhem, Netherlands*

<sup>2</sup> *Endocrinology, Reinier de Graaf Group of Hospitals, Delft, Netherlands*

PO3.087

**Surgeons on laparoscopic sleeve gastrectomy learning curve do not worsen effects of bariatric treatment**

Major P<sup>1</sup>, Matłok M<sup>1</sup>, Pędziwiatr M<sup>1</sup>, Wysocki M<sup>2</sup>, Pasek S<sup>2</sup>, Jabłoński Sz<sup>2</sup>, Stefura T<sup>2</sup>, Małczak P<sup>2</sup>, Budzyński A<sup>1</sup>

<sup>1</sup> *2<sup>nd</sup> Department of General Surgery, Jagiellonian University Medical College, Krakow, Poland*

<sup>2</sup> *2<sup>nd</sup> Department of General Surgery, Students' Society of Science, Jagiellonian University Medical College, Krakow, Poland*

PO3.088

**Six years results of revisional laparoscopic Roux-en-Y gastric bypass (rLRYGB) after failed gastric banding (LAGB)**

Vinzens F<sup>1</sup>, Kilchenmann A<sup>1</sup>, Zumstein V<sup>1</sup>, Slawik M<sup>2</sup>, Gebhart M<sup>2</sup>, Peters T<sup>2</sup>, Peterli R<sup>1</sup>

<sup>1</sup> *Visceral Surgery, St. Claraspital, Basel, Switzerland*

<sup>2</sup> *Interdisciplinary Center of Nutritional and Metabolic Diseases, St. Claraspital, Basel, Switzerland*



PO3.089

**Population estimates and characteristics of Australians potentially eligible for bariatric surgery – findings from the 2011/13 Australian Health Survey**

Sharman MJ<sup>1</sup>, Breslin MC<sup>1</sup>, Kuzminov A<sup>1</sup>, Palmer AJ<sup>1</sup>, Blizzard CL<sup>1</sup>, Hensher M<sup>2</sup>, Venn AJ<sup>1</sup>

<sup>1</sup> *Menzies Institute for Medical Research, University of Tasmania, Hobart, Australia*

<sup>2</sup> *Health and Human Services, Tasmanian Government, Hobart, Australia*

PO3.090

**The experience of waiting for publicly-funded bariatric surgery**

Sharman MJ<sup>1</sup>, Venn AJ<sup>1</sup>, Hensher M<sup>2</sup>, Wilkinson S<sup>2</sup>, Palmer AJ<sup>1</sup>, Williams D<sup>3</sup>, Jose K<sup>1</sup>, Ezzy D<sup>4</sup>

<sup>1</sup> *Menzies Institute for Medical Research, University of Tasmania, Hobart, Australia*

<sup>2</sup> *Health and Human Services, Tasmanian Government, Hobart, Australia*

<sup>3</sup> *School of Nursing and Midwifery, University of Tasmania, Hobart, Australia*

<sup>4</sup> *School of Social Sciences, University of Tasmania, Hobart, Australia*

PO3.091

**Different supplementation regimes to treat perioperative vitamin B12 deficiencies in bariatric surgery: a systematic review**

Smelt HJM<sup>1</sup>, Pouwels S<sup>2</sup>, Smulders JF<sup>2</sup>

<sup>1</sup> *Dietetics, Catharina Hospital, Eindhoven, Netherlands*

<sup>2</sup> *Surgery, Catharina Hospital, Eindhoven, Netherlands*

PO3.092

**[WITHDRAWN]**

Goldstein N<sup>1</sup>, Haim Y<sup>1</sup>, Slutsky N<sup>1</sup>, Kirshtein B<sup>2</sup>, Harman-Boehm I<sup>2</sup>, Vaterescu M<sup>1</sup>, Gepner Y<sup>3</sup>, Shai I<sup>3</sup>, Bashan N<sup>1</sup>, Blüher M<sup>4</sup>, Rudich A<sup>1,5</sup>

<sup>1</sup> *Department of Clinical Biochemistry and Pharmacology, Ben-Gurion University of the Negev, Beer-Sheva, Israel*

<sup>2</sup> *Soroka Academic Medical Center and Faculty of Health Sciences, Ben-Gurion University of the Negev, Beer-Sheva, Israel*

<sup>3</sup> *Department of Epidemiology, Ben-Gurion University of the Negev, Beer-Sheva, Israel*

<sup>4</sup> *Department of Medicine, University of Leipzig, Leipzig, Germany*

<sup>5</sup> *National Institute of Biotechnology in the Negev, Ben-Gurion University of the Negev, Beer-Sheva, Israel*

PO3.093

**Optimizing postoperative outcomes after gastric bypass surgery - the influence of dietary protein and its amino acid composition: a systematic review**

van den Broek M<sup>1</sup>, de Heide L J M<sup>1</sup>, Veeger N J G M<sup>2,3</sup>, van der Wal-Oost A M<sup>4</sup>, van Beek A P<sup>5</sup>

<sup>1</sup> *Internal Medicine, Medical Center Leeuwarden, Netherlands*

<sup>2</sup> *Epidemiology, Medical Center Leeuwarden, Netherlands*

<sup>3</sup> *Epidemiology, University of Groningen, University Medical Center Groningen, Netherlands*

<sup>4</sup> *MCL academy, Medical Center Leeuwarden, Leeuwarden, Netherlands*

<sup>5</sup> *Endocrinology, University of Groningen, University Medical Center Groningen, Netherlands*



PO3.094

**Discrepancies in the relation of BMI, adipose tissue volume, classic cardiovascular risk factors and adipose tissue inflammation**

van Mil S R<sup>1</sup>, Vijgen G H<sup>1</sup>, van Huisstede A<sup>2</sup>, Klop B<sup>3</sup>, van de Geijn G J M<sup>4</sup>, Braunstahl G J<sup>2</sup>, Mannaerts G H H<sup>1</sup>, Biter L U<sup>1</sup>, Castro Cabezas M<sup>3</sup>

<sup>1</sup> Surgery, Franciscus Gasthuis, Rotterdam, Netherlands

<sup>2</sup> Pulmonology, Franciscus Gasthuis, Rotterdam, Netherlands

<sup>3</sup> Internal medicine, Franciscus Gasthuis, Rotterdam, Netherlands

<sup>4</sup> Clinical Chemistry, Franciscus Gasthuis, Rotterdam, Netherlands

PO3.095

**A cost-effectiveness analysis of multivitamin supplementation in morbid obese patients after Roux-en-Y Gastric Bypass**

Homan J<sup>1</sup>, Schijns W<sup>1</sup>, Aarts E O<sup>1</sup>, van Laarhoven C J H M<sup>2</sup>, Janssen I M C<sup>1</sup>, Berends F J<sup>1</sup>

<sup>1</sup> Surgery, Rijnstate Hospital, Arnhem, Netherlands

<sup>2</sup> Surgery, Radboud University Medical Center, Nijmegen, Netherlands

PO3.096

**Long-term results of Laparoscopic Sleeve Gastrectomy for morbid obesity: 5 to 8 year results**

Gadiot R P M<sup>1</sup>, Biter L U<sup>2</sup>, van Mil S<sup>2</sup>, Zengerink J F<sup>2</sup>, Apers J<sup>2</sup>, Mannaerts G H H<sup>3</sup>

<sup>1</sup> Surgery, Erasmus University Medical Center, Rotterdam, Netherlands

<sup>2</sup> Surgery, Sint Franciscus Gasthuis, Rotterdam, Netherlands

<sup>3</sup> Surgery, Tawam Hospital, Al Ain Abu Dhabi, United Arab Emirates

PO3.097

**[WITHDRAWN]**

Khatibsemnani R

Surgery, Islamic Azad University, Tehran Medical Unit, Tehran, Iran

PO3.098

**[WITHDRAWN]**

Renaudin N

Public Affairs, Edenred, Brussels, Belgium

PO3.099

**The effect of obesity on anti-Xa concentrations in bariatric patients**

Schijns W<sup>1</sup>, Deenen M J<sup>2</sup>, Aarts E O<sup>1</sup>, Homan J<sup>1</sup>, Janssen I M C<sup>1</sup>, Berends F J<sup>1</sup>, Kaasjager K A H<sup>3</sup>

<sup>1</sup> Bariatric surgery, Rijnstate, Arnhem, Netherlands

<sup>2</sup> Clinical Pharmacy, Rijnstate, Arnhem, Netherlands

<sup>3</sup> Internal Medicine, Rijnstate, Arnhem, Netherlands





PO3.100

**Physical functioning one year after bariatric surgery compared to non-operated controls**

Wilms B<sup>1</sup>, Waldburger R<sup>1</sup>, Zazai R<sup>2</sup>, Ernst B<sup>3</sup>, Thurnheer M<sup>3</sup>, Schultes B<sup>\*3</sup>, Spengler CM<sup>\*1,4</sup>

<sup>1</sup> Exercise Physiology Lab, Institute of Human Movement Sciences and Sport, ETH Zurich, Switzerland

<sup>2</sup> Department of Surgery, Cantonal Hospital St. Gallen, Switzerland

<sup>3</sup> Interdisciplinary Obesity Center, eSwiss Medical & Surgical Center, St. Gallen, Switzerland

<sup>4</sup> Zurich Center for Integrative Human Physiology, University of Zurich, Switzerland

PO3.101

**The effects of Ramadan fasting on resting metabolic rate in healthy non-obese individuals**

Saadane I, Hassan S, Barakat M T, Lessan N

Research department, Imperial College London Diabetes Centre, Abu Dhabi, United Arab Emirates

PO3.102

**Changes in iron absorption after Roux-en-Y gastric bypass**

Schijns W<sup>1</sup>, Ligthart M A P<sup>1</sup>, Berends F J<sup>1</sup>, Janssen I M C<sup>1</sup>, Laarhoven van C J H M<sup>2</sup>, Boer de H<sup>3</sup>, Aarts E O<sup>1</sup>

<sup>1</sup> Bariatric Surgery, Rijnstate, Arnhem, Netherlands

<sup>2</sup> Surgery, Radboudumc, Nijmegen, Netherlands

<sup>3</sup> Internal Medicine, Rijnstate, Arnhem, Netherlands

PO3.103

**It is possible to by-pass the learning curve in bariatric surgery?**

Timofte D<sup>1</sup>, Vlasceanu V<sup>1</sup>, Soroceanu P<sup>1</sup>, Pintilei-Reurean Delia<sup>2</sup>, Blaj M<sup>1</sup>, Mitrofan E<sup>1</sup>

<sup>1</sup> The 3<sup>rd</sup> Surgical Unit, University of Medicine and Pharmacy Gr. T. Popa Iasi, Iasi, Romania

<sup>2</sup> Nutrition, Consultmed Hospital, Iasi, Romania

PO3.104

**Efficacy of oral versus intramuscular vitamin B12 supplementation following Roux-en-Y gastric bypass**

Schijns W, Meer van der L, Deden L, Janssen I M C, Berends F J, Aarts E O

Bariatric surgery, Rijnstate, Arnhem, Netherlands

PO3.105

**Volume of resected stomach seems to correlate with 1-year weight loss. MDCT scan measurement of gastric volume pre and post sleeve gastrectomy**

Rodríguez-Otero C<sup>1</sup>, Balagué C<sup>1</sup>, Garay M<sup>1</sup>, Targarona EM<sup>1</sup>, Pernas JC<sup>2</sup>, Fernández-Ananín S<sup>1</sup>, Turrado V<sup>1</sup>, Gonzalo B<sup>1</sup>, Trias M<sup>1</sup>

<sup>1</sup> General Surgery, Hospital de la Santa Creu i Sant Pau, Barcelona, Spain

<sup>2</sup> Radiology, Hospital de la Santa Creu i Sant Pau, Barcelona, Spain



PO3.106

**Three and a half years of bariatric surgery at the „St. Spiridon” Hospital – experience of the anesthetic team**

Timofte D<sup>1</sup>, Padureanu S<sup>1</sup>, Damian M<sup>2</sup>, Ciumanghel A<sup>2</sup>, Blaj M<sup>2</sup>

<sup>1</sup> *The 3<sup>rd</sup> Surgical Unit, University of Medicine and Pharmacy Gr. T. Popa, Iasi, Romania*

<sup>2</sup> *Intensive Care Unit, University of Medicine and Pharmacy Gr. T. Popa, Iasi, Romania*

PO3.107

**Changes in incretines and bile acids after Roux-en-Y Gastric Bypass**

Cooiman M<sup>1</sup>, Deden L<sup>1</sup>, Homan J<sup>1</sup>, Aarts EO<sup>1</sup>, Roux CW le<sup>2</sup>, Janssen IMC<sup>1</sup>, Berends FJ<sup>1</sup>

<sup>1</sup> *Bariatric Surgery, Rijnstate, Arnhem, Netherlands*

<sup>2</sup> *Metabolic Medicine, Imperial College London, London, United Kingdom*

PO3.108

**Obesity genetics in bariatric surgery**

Cooiman M<sup>1</sup>, Homan J<sup>1</sup>, Aarts EO<sup>1</sup>, Berends FJ<sup>1</sup>, Janssen IMC<sup>1</sup>, Ploos van Amstel HK<sup>2</sup>, Zwaag van der A<sup>2</sup>, Haelst van MM<sup>2</sup>

<sup>1</sup> *Bariatric Surgery, Rijnstate, Arnhem, Netherlands*

<sup>2</sup> *Medical Genetics, University Medical Centre, Utrecht, Netherlands*

PO3.109

**The addition of Hiatal Hernia Repair to Laparoscopic Sleeve Gastrectomy is safe and not associated with added morbidity: Analysis of the ACS-NSQIP Database**

Safadi B, Aridi H, Tamim H

*Surgery, American University of Beirut Medical Center, Beirut, Lebanon*

PO3.110

**Revisional surgery for patient with Primary Obesity Surgery Endolumenal [POSE] procedure previous to conversion to sleeve gastrectomy**

Vilallonga R<sup>1,2</sup>, Alvarenga L<sup>2</sup>, Kraft M<sup>2</sup>, Fort Jm<sup>2</sup>, Curell A<sup>2</sup>, Villanueva B<sup>1</sup>, Serrano T<sup>3</sup>

<sup>1</sup> *Surgery Department, Hospital de Barcelona, Barcelona, Spain*

<sup>2</sup> *Endocrine Bariatric and Metabolic Unit, Univesitary Hospital Vall hebron, Barcelona, Spain*

<sup>3</sup> *Pathology department, Hospital de Barcelona, Barcelona, Spain*

PO3.111

**Health Related Quality of Life after RYGB; effect of weight change**

Montpellier V M<sup>1</sup>, Antoniou E.E<sup>2</sup>, Aarts E O<sup>3</sup>, Janssen I M C<sup>1</sup>, Jansen A<sup>2</sup>

<sup>1</sup> *Bariatric Surgery, Dutch Obesity Clinic, Huis ter Heide, Netherlands*

<sup>2</sup> *Faculty of Psychology and Neuroscience, Maastricht University, Maastricht, Netherlands*

<sup>3</sup> *Bariatric Surgery, Vitalys, Arnhem, Netherlands*



PO3.112

**Risk of Metformin-associated Lactic Acidosis (MALA) after Gastric Bypass**

Deden L N<sup>1</sup>, Aelfers S<sup>1</sup>, Aarts E O<sup>1</sup>, Schijns W<sup>1</sup>, Janssen I M C<sup>1</sup>, Berends F J<sup>1</sup>, de Boer H<sup>2</sup>

<sup>1</sup> Surgery, Rijnstate, Arnhem, Netherlands

<sup>2</sup> Internal medicine, Rijnstate, Arnhem, Netherlands

PO3.113

**Robotic versus laparoscopic Roux-en-Y gastric bypass: comparison of short-term surgical outcomes**

Bedirli A, Keceoglu S, Seyidov M

General Surgery, Gazi University, Ankara, Turkey

PO3.114

**Effects of gastric bypass surgery and weight reduction on Anti-Müllerian Hormone**

Nilsson-Condori E<sup>1,2</sup>, Hedenbro J<sup>3</sup>, Thurin-Kjellberg A<sup>4</sup>, Giwercman A<sup>2</sup>, Friberg B<sup>2</sup>

<sup>1</sup> Kvinnokliniken, Centralsjukhuset Kristianstad, Kristianstad, Sweden

<sup>2</sup> Molecular Reproductive Medicine, Dept. of Translational Medicine, Lund University, Malmö, Sweden

<sup>3</sup> Department of Surgery, Clinical Sciences Lund University, Lund, Sweden

<sup>4</sup> Department of Obstetrics and Gynaecology, Sahlgrenska Academy, University of Gothenburg  
Sahlgrenska University Hospital, Gothenburg, Sweden

PO3.115

**Assessment of regenerative processes in the stomach wall in case of staple-line glue protection in sleeve gastrectomy simulation with rabbits: the experiment methodology**

Samoylov V<sup>1,2</sup>, Nalivaiko V<sup>3</sup>, Atiakshin D<sup>4</sup>

<sup>1</sup> Surgery, Non-State Health Care Facility "Road hospital Station Voronezh-1 JSC "Russian Railways", Voronezh, Russian Federation

<sup>2</sup> General Surgery, Voronezh State Medical University named after N.N. Burdenko, Voronezh, Russian Federation

<sup>3</sup> Anesthesiology, Non-State Health Care Facility "Road hospital Station Voronezh-1 JSC "Russian Railways", Voronezh, Russian Federation

<sup>4</sup> Scientific Research Institute of Experimental Biology, Voronezh State Medical University named after N.N. Burdenko, Voronezh, Russian Federation

PO3.116

**Laparoscopic Roux-en-Y Gastric Bypass Versus Laparoscopic Sleeve Gastrectomy: A Single Center Experience**

Alexandrou A, Davakis S, Sakarellos P, Orfanos S, Athanasiou A, Diamantis T, Liakakos T

<sup>1st</sup> Surgery Department, Laikon General Hospital, National and Kapodistrian University of Athens, Athens, Greece

PO3.117

**A matched pairs analysis between the mini gastric bypass and the roux-en-y gastric bypass**

Plamper A, Kolec S, Rheinwalt K

Bariatric and Metabolic Surgery, St. Franziskus-Hospital, Cologne, Germany



PO3.118

**[WITHDRAWN]**

Joel A, Woodcock S, Seymour K, Brown J

*Bariatric Surgery, Northumbria NHS Trust, Newcastle, United Kingdom*

PO3.119

**Laparoscopic reanastomosis due to gastrojejunal stenosis after gastric bypass**

Pizzera Ch, Tadler F, Rosanelli G

*Surgical department, Krankenhaus der Elisabethinen Graz, Graz, Austria*

PO3.120

**Revision bariatric surgery: the RNY gastric bypass as last resort**

Uijtterhaegen G, Horevoets J, Devroe K, Dillemans B

*General Surgery, AZ Sint Jan Brugge, Bruges, Belgium*

PO3.121

**Re-do surgery-eroded gastric band - laparoscopic sleeve gastrectomy**

Taskin H E, Zengin U, Umman V, Demir I, Soylu S, Taskin M

*General Surgery, Istanbul University, Cerrahpasa Medical Faculty, Istanbul, Turkey*

PO3.122

**Re-do surgery- failed laparoscopic gastrectomy to laporoscopic minigastric bypass in a bipolar patient**

Taskin H E, Zengin U, Soylu S, Umman V, Demir I, Taskin M

*General Surgery, Istanbul University, Cerrahpasa Medical Faculty, Istanbul, Turkey*

PO3.123

**Revisional surgery – failed sleeve gastrectomy to re-sleeve gastrectomy**

Taskin H E, Zengin U, Soylu S, Demir I, Umman V, Taskin M

*General Surgery, Istanbul University, Cerrahpasa Medical Faculty, Istanbul, Turkey*

PO3.124

**Laparoscopic management of sleeve migration by conversion into gastric by pass with mesh reinforced hiatoplasty**

Abdelgawad M, Iossa A, De Angelis F, Guida A, Silecchia G

*Department of Medico-Surgical Sciences and Biotechnology, Division of general surgery & Bariatric Center of Excellence, Sapienza University of Rome, Latina, Italy*

PO3.125

**Banded pouch for weight regain after gastric bypass**

Abdelgawad M, Iossa A, De Angelis F, Guida A, Silecchia G

*Department of Medico-Surgical Sciences and Biotechnology, Division of general surgery & Bariatric Center of Excellence, Latina, Italy*



PO3.126

**Laparoscopic Fistulo-jejunostomy to treat staple line leak following Laparoscopic Sleeve Gastrectomy**

Safadi B, Aridi H, Shamseddine G

*Surgery, American University of Beirut Medical Center, Beirut, Lebanon*

PO3.127

**Laparoscopic hiatal hernia repair is a safe and effective option for symptomatic hiatal hernia that develop after Laparoscopic Sleeve Gastrectomy**

Safadi B, Aridi H, Shamseddine G

*Surgery, American University of Beirut Medical Center, Beirut, Lebanon*

PO3.128

**Removing a gastric bypass and restoration of normal anatomic continuity**

Fournier P<sup>1</sup>, Martin D<sup>1</sup>, Allemann P<sup>1</sup>, Demartines N<sup>1</sup>, Suter M<sup>2,1</sup>

<sup>1</sup> *Department of Visceral Surgery, University Hospital CHUV, Lausanne, Switzerland*

<sup>2</sup> *Department of Surgery, Hospital Riviera Chablais, Monthey, Switzerland*

PO3.129

**Phytobezoar post Roux -en -Y gastric bypass**

Berry M, Dominguez M, Urrutia L, Schulz M, Zanabria R

*Surgery, Clinica Las Condes, Santiago, Chile*