



LIST OF POSTERS (IFSO-EC)

PO3.001

[WITHDRAWN]

Al Khalifa K, Al Ansari A

General Surgery, Bahrain Defence Force hospital, Riffa, Bahrain

PO3.002

Sleeve Gastrectomy: Our First 100 patients

Bedi D S

Bariatric and Metabolic Diseases, Hope Obesity Centre, Ahmedabad, India

PO3.003

Metabolic outcomes of Sleeve Gastrectomy in Type 2 Diabetic obese patients

Berry M¹, Urrutia L¹, Lamoza P², Lahsen R³, Bustos A¹, Schulz M¹, Luna E¹, Parra F¹, Dominguez M¹, Zanabria R¹

¹ *Surgery, Clinica Las Condes, Santiago, Chile*

² *Surgery, Hospital de Maipu, Santiago, Chile*

³ *Diabetes, Clinica Las Condes, Santiago, Chile*

PO3.004

[WITHDRAWN]

Park Y S, Ahn S H, Park D J, Kim H H

Surgery, Seoul National University Bundang Hospital, Seongnam-si, Gyeonggi-do, South Korea

PO3.005

Laparoscopic sleeve gastrectomy versus Laparoscopic Roux-en-Y Gastric Bypass: A single centre experience with postoperative 2-5 years follow-up

Vasas P, Hussain A, Balchandra S, Samuel N, Kirk K, Finney J

Bariatric Surgery, Doncaster Royal Infirmary, Doncaster, United Kingdom

PO3.006

SADI Versus SASI As Metabolic Surgery

Moustafa A A, Sabry K, Fahmy K

General Surgery, Faculty Of Medicine Ain Shams Univeristy, Cairo, Egypt

PO3.007

Numer Needed to Treat for remission of T2DM matters in bariatric / metabolic surgery

Cierny M¹, Cierny M, jr.², Trávníček A¹, Uchál J¹

¹ *Surgery, Breclav Hospital, Breclav, Czech Republic*

² *Neurological Department, University Hospital, Brno, Czech Republic*



PO3.008

**Sleeve gastrectomy and Roux-en-Y gastric bypass in the treatment of type 2 diabetes mellitus.
Results of a multicenter, randomised controlled study**

Maleckas A^{1,2}, Wallenius V¹, Björnfort N¹, Orrenius B³, Kylebäck A³, Björklund P¹, Werling M¹, Thorell A^{4,5}, Lönroth H¹, Fändriks L¹

¹ Dept. of Gastrosurgical Research and Education, Sahlgrenska Academy, University of Gothenburg, Gothenburg, Sweden

² Dept. of Surgery, Medical Academy, Lithuanian University of Health Sciences, Kaunas, Lithuania

³ Dept. of Surgery, Skaraborgs Hospital, Skövde, Sweden

⁴ Dept. of Clinical Sciences, Karolinska Institutet, Danderyd hospital, Stockholm, Sweden

⁵ Dept. of Surgery, Ersta hospital, Stockholm, Sweden

PO3.009

[WITHDRAWN]

Zainutdinov A, Malkov I

Surgery, Kazan Medical Academy, Kazan, Russian Federation

PO3.010

First National Safety Audit of Laparoscopic Sleeve Gastrectomy in Singapore

Lee J¹, Wong A¹, Lomanto D², Shabbir A², So J², Chan WH³, Eng A³, Cheng A⁴, Tan TJ⁴, Koura A⁵, Rao J⁵, Kan YM⁴, Pasupathy S³

¹ Department of General Surgery, Changi General Hospital, Singapore, Singapore

² Department of General Surgery, National University Hospital, Singapore, Singapore

³ Department of Upper GI and Bariatric Surgery, Singapore General Hospital, Singapore, Singapore

⁴ Department of Surgery, Khoo Teck Puat Hospital, Singapore, Singapore

⁵ Department of Surgery, Tan Tock Seng Hospital, Singapore, Singapore

PO3.011

Correction of cardiovascular risk in patients with morbid obesity using bariatric surgery

Shkroba A¹, Mitchenko O¹, Lavryk A²

¹ Dislipidemiya, NSC M.D. Strazhesko institute of cardiology, Kiev, Ukraine

² Gastrointestinal Surgery, National Institute of Surgery and Transplantation A.A.Shalimova, Kiev, Ukraine

PO3.012

Value of routine polysomnography in bariatric surgery

de Raaff C A L¹, de Vries N², Coblijn U K³, Bonjer H J³, van Wagenveld B A¹

¹ Bariatric Surgery, Obesity Center Amsterdam, Amsterdam, Netherlands

² Otolaryngology, OLVG West, Amsterdam, Netherlands

³ Surgery, VU Medical Center, Amsterdam, Netherlands



PO3.013

Modified biliopancreatic diversion by Scopinaro for the treatment of patients with morbid obesity

Lavryk A S, Usenko O Y, Manoilo M V, Dmitrenko O P, Klimas A S

Gastro-intestinal surgery, SI " Shalimovs National Institute of Surgery and Transplantology" NAMS of Ukraine., Kyiv, Ukraine

PO3.014

Improvement of nonalcoholic fatty liver disease in morbidly obese patients after sleeve gastrectomy: Association of ultrasonographic findings with lipid profile and liver enzymes

Ruiz-Tovar J, Alsina ME, Alpera MR, Boix E, Sola-Vera J, Zubiaga L, Gonzalez J, Duran M

Surgery, University Hospital Rey Juan Carlos, Madrid, Spain

PO3.015

Maintenance of multivitamin supplements after sleeve gastrectomy

Ruiz-Tovar J, Llaverro C, Zubiaga L, Boix E

Surgery, University Hospital Rey Juan Carlos, Madrid, Spain

PO3.016

Gastrointestinal symptoms after bariatric surgery

Nielsen H J¹, Erchinger F¹, Nedrebø B G², Flølo T N¹, Våge V¹

¹ *Department of Clinical Medicine, Haukeland University hospital, Voss hospital, Voss, Norway*

² *Department of Clinical Science, Haugesund hospital, Haugesund, Norway*

PO3.017

Weight loss, reflux and reoperations: Our first 100 patients treated with lap. Sleeve Gastrectomy

Felsenreich D M¹, Langer F¹, Kefurt R¹, Panhofer P¹, Schermann M², Beckerhinn P³, Sperker C², Lenglinger J⁴, Kristo I⁴, Schoppmann S⁴, Prager G¹

¹ *University Clinic for Surgery, Clinical Department for General Surgery, Vienna, Austria*

² *Hospital Rudolfsstiftung, Department of Surgery, Vienna, Austria*

³ *Hospital Hollabrunn, Department of Surgery, Hollabrunn, Austria*

⁴ *Clinical Department of Gastrointestinal Functional Diagnostics, Department of Surgery, Vienna, Austria*

PO3.018

Management of Leak after sleeve Gastrectomy

Bedi D S

Bariatric and Metabolic Diseases, Hope Obesity Centre, Ahmedabad, India

PO3.019

Early dumping syndrome is not a complication, but a natural element and a tool to control energy intake, according to patients' perspective after gastric bypass

Laurenus A, Engström M

Gastrosurgical Research and Education, Clinical Sciences, The Sahlgrenska Academy, Gothenburg, Sweden



PO3.020

Biliopancreatic diversion with duodenal switch – laparoscopy is safe and reduces length of stay

Edholm D¹, Axer S², Hedberg J¹, Sundbom M¹

¹ Department of surgical sciences, Uppsala University, Uppsala, Sweden

² Department of surgical sciences, Torsby Hospital, Torsby, Sweden

PO3.021

Creation of a de novo retrogastric tunnel during resiting of slipped gastric bands is associated with improved outcomes

Patel R V¹, Woodburn P², Skipworth J¹, Smellie J¹

¹ Upper GI Surgery, Chelsea and Westminster Hospital, London, United Kingdom

² General Surgery, St Mary's Hospital, Imperial College NHS Trust, London, United Kingdom

PO3.022

Long-term outcome of laparoscopic adjustable gastric banding (LAGB): results of a Swiss single-centre study of 405 patients with up to 18 years follow-up

Vinzens F¹, Kilchenmann A¹, Zumstein V¹, Slawik M², Gebhart M², Peters T², Peterli R¹

¹ Visceral Surgery, St. Claraspital, Basel, Switzerland

² Interdisciplinary Center of Nutritional and Metabolic Diseases, St. Claraspital, Basel, Switzerland

PO3.023

The postoperative checklist for bariatric surgery; which parameters should be used?

van Mil S R, Duinhouwer L E, Zengerink J F, Biter L U, Apers J A

Surgery, Franciscus Gasthuis, Rotterdam, Netherlands

PO3.024

Case-control study of postoperative blood pressure in patients with hemorrhagic complications after laparoscopic sleeve gastrectomy and matched control

Janik M R, Kwiatkowski A, Paśnik K

Department of General, Oncologic, Metabolic and Thoracic Surgery, Military Institute of Medicine, Warsaw, Poland

PO3.025

Gallstone-like enterolith causing small bowel obstruction and perforation, three years after Roux-en-Y gastric bypass and 21 years after cholecystectomy

Kroijer R¹, Torzynski K¹, Mortensen M B², Kristensen S R³

¹ Department of Surgery, Sydvestjysk Sygehus, Esbjerg, Denmark

² Department of Surgery, Odense University Hospital, Odense, Denmark

³ Klinisk Institut, Aalborg University Hospital, Aalborg, Denmark

PO3.026

Gastric ulcer hemorrhage after intragastric balloon insertion-case report

Mojkowska A^{1,2}, Wyleżoł M¹, Frączek M^{2,1}, Basaj J², Pietruszka M¹, Redlisz-Redlicki G¹

¹ General Surgery Clinic, Military Institute of Aviation Medicine, Warsaw, Poland

² Department of General and Oncological Surgery, Praski Hospital, Warsaw, Poland



PO3.027

Treatment of Deficiencies after Biliopancreatic Diversion with or without Duodenal Switch; a Major Challenge

Homan J¹, Schijs W¹, Aarts E O¹, van Laarhoven C J H M², Janssen I M C¹, Berends F J¹, de Boer H³

¹ Surgery, Rijnstate Hospital, Arnhem, Netherlands

² Surgery, Radboud University Medical Centre, Nijmegen, Netherlands

³ Internal Medicine, Rijnstate Hospital, Arnhem, Netherlands

PO3.028

Bleeding after laparoscopic sleeve gastrectomy: results of a single centre of excellence after over 600 procedures

Iossa A, Guida A, Abdelgawad M, De Angelis F, Ciccioriccio C, Termine P, Silecchia G

Division of General Surgery and Bariatric Centre of Excellence-Department of Medico-Surgical Sciences and Biotechnologies, University of Rome "Sapienza", Latina, Italy

PO3.029

Perigastric abscess 6 months after Laparoscopic Sleeve Gastrectomy (LSG). Case Report and review of literature

Prevedello L, Albanese A, Foletto M

Bariatric Unit, Padova University Hospital, Padova, Italy

PO3.030

Laparoscopic management of bariatric surgery complications

Timofte D, Ionescu L, Hutanu I, Blaj M

The 3rd Surgical Unit, University of Medicine and Pharmacy Gr.T. Popa, Iasi, Romania

PO3.031

Gastro-pulmo- bronchial fistula after leak in resection line in sleeve gastrectomy

Holeczy P^{1,2}, Gryga A³, Vaverka P³, Buzga M⁴, Bolek M², Fojtik P⁵, Neoral C⁶

¹ Department of surgical disciplines Czech republic , Medical Faculty, Ostrava University, Ostrava, Czech Republic

² Department of surgery, Vitkovice hospital, Ostrava, Czech Republic

³ Department of surgery , Hospital Prostejov, Prostejov, Czech Republic

⁴ Department of physiology and patofysiology , Medical Faculty, Ostrava University, Ostrava, Czech Republic

⁵ Department of gastroenterology, Vitkovice hospital, Ostrava, Czech Republic

⁶ Department of surgery, Medical faculty, Palacky university, Olomouc, Czech Republic

PO3.032

Intrathoracic migration after LSG – can it be controlled?

Maura P, Simona F, Copaescu C

General surgery, Ponderas Hospital, Bucharest, Romania



PO3.033

Metabolic deficiencies after a restrictive bariatric operation

Kohylas N¹, Lapatsanis D²

¹ *D Surgical Department, "Evangelismos" General Hospital, Athens, Greece*

² *B Surgical Department, "Evangelismos" General Hospital, Athens, Greece*

PO3.034

Comparative study between silastic ring vertical gastroplasty and sleeve gastrectomy

Galea RF¹, Catoi Galea AF², Mironiuc A¹, Chiorescu S¹, Pop E¹, Muresan D¹

¹ *Second Surgical Clinic, Iuliu Hatieganu University of Medicine and Pharmacy, Cluj-Napoca, Romania*

² *Physiology, Iuliu Hatieganu University of Medicine and Pharmacy, Cluj-Napoca, Romania*

PO3.035

Conversion from Single Anastomosis Duodeno-Ileal Bypass with sleeve gastrectomy (SADI-S) for malabsorptive issues to none or less malabsorptive procedures

Curell A, Vilallonga R, Fort J M, Balibrea J M, Kraft M, Alberti P, Caubet E, Cesardo M, González O, Rodrigues V, Armengol M

Endocrine, Metabolic and Bariatric Unit, Vall d'Hebron University Hospital, Universitat Autònoma de Barcelona; Center of Excellence for the EAC-BC, Barcelona, Spain

PO3.036

Short-term results in SG comparing two handling in the staple line

Conoman H

Surgery, Clinica bicentenario, Santiago, Chile

PO3.037

Personalized exercise prescription: does it work after bariatric surgery?

Mackenzie, K, Wang W, Kastanias P, Robinson S, Whitehead L

Toronto Western Hospital Bariatric Clinic, University Health Network, Toronto, Ontario, Canada

PO3.038

Can improving post-bariatric surgery constipation rates reduce ER visits and hospital readmissions?

Wang W, Kastanias P, Robinson S, Jackson T, Lopaz C, Mackenzie K

Bariatric Surgery Program, Toronto Western Hospita, Toronto Ontari, Canada

PO3.039

The Bariatric Network of Veneto Region (VON): a way to improving care through affordability

Foletto M¹, Busetto L¹, Fabris R¹, Dal Prà C¹, Prevedello L¹, Serra R¹, Saia M², Vettor R¹

¹ *Bariatric Unit, Padova University Hospital, Padova, Italy*

² *Healthcare Administration Office, Regione Veneto, Venezia, Italy*



PO3.040

[WITHDRAWN]

Povoroznyuk V¹, Dzerovych N¹, Martynyuk L², Kovtun T¹

¹ Department of Clinical Physiology and Pathology of Locomotor Apparatus, D.F. Chebotarev Institute of Gerontology NAMS Ukraine, Kyiv, Ukraine, Kyiv, Ukraine

² Emergency department and emergency medical care, I. Hobachevsky Ternopil State Medical University, Ternopil, Ukraine

PO3.041

[WITHDRAWN]

Povoroznyuk V¹, Martynyuk Lar², Dzerovych N¹, Martynyuk Lil²

¹ Department of Clinical Physiology and Pathology of Locomotor Apparatus Institute of Gerontology NAMS Ukraine, D. F. Chebotarev Institute of Gerontology NAMS Ukraine, Kyiv, Ukraine, Kyiv, Ukraine

² Emergency department and emergency medical care, I. Hobachevsky Ternopil State Medical University, Ternopil, Ukraine

PO3.042

QT-interval shortening after bariatric surgery depends on the applied heart rate correction equation

Grasser EK¹, Ernst B², Thurnheer M², Schultes B²

¹ Department of Medicine/Physiology, University of Fribourg, Fribourg, Switzerland

² Interdisciplinary Obesity Center, eSwiss Medical & Surgical Center, St. Gallen, Switzerland

PO3.043

Epidemiological evaluation of the cause of obesity in women who referred to referral bariatric surgery center, Shiraz University of Medical Sciences, Southern of Iran

Amini M^{1,2}, Sepehrimanesh M³, Kherad M⁴, Vafa L¹, Setoodeh M¹, Zare M¹, Nahafi S¹, Koohpeyma M R⁵, Zardosht Z⁴

¹ Obesity Specialized Clinic, Ghadir Mother and Child Hospital, Shiraz University of Medical Sciences, Shiraz, Iran

² Laparoscopy Research Center, Shiraz University of Medical Sciences, Shiraz, Iran

³ Gastroenterohepatology Research Center, Shiraz University of Medical Sciences, Shiraz, Iran

⁴ Shiraz Burn Research Center, Shiraz University of Medical Sciences, Shiraz, Iran

⁵ Medical Surgical Nursing, Yasuj University of Medical Science, Yasuj, Iran

PO3.044

Postoperative pain after laparoscopic sleeve gastrectomy: Comparison between intravenous analgesia alone or associated with epidural analgesia or with port-site infiltration with local anaesthesia

Ruiz-Tovar J¹, Muñoz JL², Gonzalez J¹, Zubiaga L², Jimenez M¹, Garcia A¹, Ferrigni C¹, Duran M¹

¹ Surgery, University Hospital Rey Juan Carlos, Madrid, Spain

² Anaesthesiology, University Hospital Elche, Alicante, Spain



PO3.045

Implementation of the Spanish National Enhanced Recovery Programme (ERAS) in bariatric surgery: A pilot study

Ruiz-Tovar J, Royo P, Muñoz JL, Duran M, Redondo E, Zubiaga L, Ramirez JM, GERM
Bariatric Surgery, ERAS-Spain, Zaragoza, Spain

PO3.046

Health-related quality of life, sexuality and hormone status after bariatric surgery

Paul R, Wirén M, Frisk J, Andersson E
Surgery, Landstinget i Östergötland, Norrköping, Sweden

PO3.047

Metabolic profile in obese patients: the bariatric surgery impact

Timofte D¹, Hristov I², Mocanu V²

¹ *The 3rd Surgical Unit, Although morbidly obese patients are associated with a high anesthetic risk we did not encounter major problems in the 173 cases operated in St. Spiridon Hospital from Iasi, Romania., Iasi, Romania*

² *Endocrinological Unit, University of Medicine and Pharmacy Gr. T. Popa, Iasi, Romania*

PO3.048

Are we there yet? - nutritional interventions' insights after gastric sleeve

Reurean-Pintilei D¹, Pintilei Ella¹, Timofte D²

¹ *Nutrition Unit, Consultmed Hospital, Iasi, Romania*

² *The 3rd Surgical Unit, University of Medicine and Pharmacy Gr. T. Popa, Iasi, Romania*

PO3.049

The influence of 10-week training program on physical ability parameters in bariatric patients

Pintar T¹, Carli T¹, Jokoanovič R², Stotl I^{1,3}, Hadžić V²

¹ *Abdominal Surgery, UMC Ljubljana, Ljubljana, Slovenia*

² *Faculty of Sport Ljubljana, University of Ljubljana, Ljubljana, Slovenia*

PO3.050

All the surgeons should know about obstructive sleep apnea and bariatric surgery

Mitrofan E¹, Timofte D²

¹ *Pneumology Unit, Pneumology Hospital, Iasi, Romania*

² *The 3rd Surgical Unit, University of Medicine and Pharmacy Gr. T. Popa, Iasi, Romania*

PO3.051

Psychological consequences of massive weight loss after bariatric surgery

Herlesova J

Clinical psychology, OB clinic, Praha 3, Czech Republic



PO3.052

Liver of morbidly obese patients undergoing bariatric surgery fails to activate antioxidant response in early phases of NAFLD-NASH progression

Fantola G¹, Perra A², Mastino D¹, Pintus S¹, Canton M², Cabras V¹, Moroni R¹

¹ Department of Surgery, "Brotzu" Hospital, Cagliari, Italy

² Biomedical Sciences, University of Cagliari, Cagliari, Italy

PO3.053

Perioperative Management Protocol for Obstructive Sleep Apnea in a High Volume Centre Of Excellence For Bariatric And Metabolic Surgery

Godoroja D^{1,2}, Copaescu C³

¹ Anaesthesiology and Intensive Care, Ponderas Hospital, Centre of Excellence for Bariatric and Metabolic Surgery, Bucharest, Romania

² Anaesthesiology, University of Medicine Carol Davila, Bucharest, Romania

³ Bariatric Surgery, Ponderas Hospital, Centre of Excellence for Bariatric and Metabolic Surgery, Bucharest, Romania

PO3.054

Attitudes towards and knowledge about metabolic surgery among internal medicine and family physicians in the Czech republic: We Can Do Better

Ciorny M, jr.^{1,2}, Kovacikova Y³, Travnik A⁴, Ciorny M⁴

¹ Department of Neurology, University Hospital Brno, Brno, Czech Republic

² Medical Faculty, Masaryk University, Brno, Czech Republic

³ Faculty of Humanities, Tomas Bata University in Zlin, Zlin, Czech Republic

⁴ Surgical department, Breclav Hospital, Breclav, Czech Republic

PO3.055

Bariatric Psychology, psychological care in Bariatric Surgery

Hout G, Eijnden K, Luymes R, Noldus S, Robben L, Montfort G, Nienhuijs, S
Obesity Centre, Catharina Hospital, Eindhoven, Netherlands

PO3.056

Effects of laparoscopic sleeve gastrectomy, with or without antrum preservation, on quality of life: a randomized study

Molina A¹, Sabench F¹, Vives M¹, Raga E¹, Bonada A², Sánchez A¹, París M¹, Blanco S¹, Muñoz A¹, Domènech J¹, Piñana ML¹, Homs E¹, Bartra E¹, Del Castillo D¹

¹ Surgery, University Hospital of Sant Joan. Rovira i Virgili University, Reus, Spain

² Nutrition, University Hospital of Sant Joan. Rovira i Virgili University, Reus, Spain

PO3.057

The psychological approach to the obese person who prepares for the bariatric surgery

Paval M, Timofte D

The 3rd Surgical Unit, University of Medicine and Pharmacy, Iasi, Romania



PO3.058

The impact of eating disorders on body mass and type 2 diabetes mellitus compensation in obese patients treated with different approaches to therapy

Melnikova E V, Babenko A Y, Neimark A E

Institute of Endocrinology, Federal Almazov North-West Medical Research Centre, Saint-petersburg, Russian Federation

PO3.059

Obesity and metabolic syndrome retrospective cohort studies of laparoscopic adjustable banding vs medical treatment – three to seven years after surgery

Avinoah E, Lansdberg L, Miyrahi S

Surgery A, Soroka medical center, Faculty of health sciences, Ben-Gurion University, Beer-Sheva, Israel

PO3.060

Laparoscopic band-separated mini-gastric bypass: a case report

Ospanov OB

Endosurgical department, Astana medical University, Astana, Kazakhstan

PO3.061

Sleeve gastrectomy combined with the simplified Hill procedure. The key against postbariatric gastro-esophageal reflux disease?

Gero D, Ribeiro-Parenti L, Arapis K, Marmuse JP

Department of Digestive Surgery, University Hospital Bichat, Paris, France

PO3.062

[WITHDRAWN]

Lange J, von Feilitzsch M, Bachmann R, Königsrainer A, Zdichavsky M

Department of General Visceral and Transplant Surgery, University Hospital Tübingen, Tübingen, Germany

PO3.063

One year results of a randomized controlled multicenter study of an incisionless operating platform for primary obesity (pose™) vs. diet-exercise alone: the milepost study

Miller K¹, Turro R², Espinos, G², Greve J W³

¹ *Surgery, Diakonissen & Wehrle Private Clinic, Salzburg, Austria*

² *Endoscopy, Hospital Quirón Teknon, Barcelona, Spain*

³ *Surgery, Atrium-Orbis Medical Centre, Heerlen, Netherlands*

PO3.064

Comparing the efficacy of laparoscopic sleeve gastrectomy and laparoscopic gastric plication in patients with obesity and metabolic disorders

Lavryk A¹, Mylytsya K², Mylytsya M², Lutsenko N², Omelyukh L²

¹ *Surgery, National Institute surgery and transplantology n.a. Shalimov, Kiev, Ukraine*

² *surgery, Zaporizhzhya medical academy of post diploma education, Zaporizhzhya, Ukraine*



PO3.065

Ligamentum teres hepatis - a useful structure in bariatric surgery?

Lange V¹, Stumpf O¹, Rosenthal A²

¹ Obesity surgery, Vivantes Klinikum Spandau, Berlin, Germany

² Outpatient Clinic Dr. A. Rosenthal, Privatpraxis, Berlin, Germany

PO3.066

Long – term effect of percutaneous electrical neurostimulation of dermatome T6 for appetite reduction and weight loss in obese patients

Ruiz-Tovar J, Llavero C, Giner L

Obesity, Garcilaso Clinic, Madrid, Spain

PO3.067

Effect of pectoral electrostimulation on reduction of mammary ptosis after bariatric surgery

Ruiz-Tovar J, Llavero C, Giner L

Obesity, Garcilaso Clinic, Madrid, Spain

PO3.068

Intragastric balloon therapy for obese and overweight patients: Results in 318 patients

Berry M¹, Urrutia L¹, Lamoza P², Ghiardo D³, Muñoz G³, Parra F¹, Dominguez M¹, Zanabria R¹

¹ Surgery, Clinica Las Condes, Santiago, Chile

² Surgery, Hospital de Maipu, Santiago, Chile

³ Nutrition, Clinica Las Condes, Santiago, Chile

PO3.069

Endoscopic Management of Morbid Obesity: Where Do We Stand?

Amr ElSherif

Surgery, Medical Research Institute - Alexandria University, Alexandria, Egypt

PO3.070

Thinking about the mechanical theory of fistulas and dehiscence in a sleeve gastrectomy. An experimental study of the resistance of the linear gastric stapling

Fournier P^{1,2}, De Courville G¹, Suter M², Demartines N², Marmuse JP¹

¹ Department of General Surgery, University Hospital Bichat Claude Bernard, Paris, France

² Department of Visceral Surgery, University Hospital CHUV, Lausanne, Switzerland

PO3.071

Weight management: Obalon® vs. Orbrera™ Intra-gastric Balloon

Al Sharqawi N, Al Sabah S, Al Mulla A

Surgery, Al Amiri Hosital - Ministry of Health, Kuwait

PO3.072

Specimen extraction technique via umbilical incision in laparoscopic sleeve gastrectomy

Yang W, Wang C, Yang J

Department of General Surgery, The First Affiliated Hospital of Jinan University, Guangzhou, China



PO3.073

Chronic Pain after Bariatric surgery: Better or Worse? Do psychosocial factors play a role?

Kastanias P¹, Buzon-Tan A², Wang W¹, Robinson S¹, Mackenzie K¹

¹ *Bariatric program, University Health Network, Toronto, Canada*

² *Pain Service, University Health Network, Toronto, Canada*

PO3.074

Bariatric Surgery in Adolescents - a Two-year Follow-up Study

Frisk J, Öhrn C, Krook H, Andersson E

Dep of Surgery, Vrinnevi Hospital, Norrköping, Sweden

PO3.075

Safety and efficiency of sleeve gastrectomy in elderly patients

Kohylas N¹, Lapatsanis D²

¹ *D Surgical Department, "Evangelismos" General Hospital, Athens, Greece*

² *B Surgical Department, "Evangelismos" General Hospital, Athens, Greece*

PO3.076

Duodenojejunal bypass decreased the high-fat-diet-induced intestinal hyperpermeability in rats

Yang P^{1,2,3}, Yang WS^{4,2,5}, Chen CN^{2,3}, Lai HS³, Nien HC^{6,4,7}, Lin MT³, Yu L CH⁸

¹ *Department of Surgery, National Taiwan University Hospital Jin-Shan Branch, New Taipei City, Taiwan*

² *Center for obesity, life style and metabolic surgery, National Taiwan University Hospital, Taipei, Taiwan*

³ *Department of Surgery, National Taiwan University Hospital, Taipei, Taiwan*

⁴ *Graduate Institute of Clinical Medicine, College of Medicine, National Taiwan University, Taipei, Taiwan*

⁵ *Department of Internal Medicine, National Taiwan University Hospital, Taipei, Taiwan*

⁶ *Department of Family Medicine, Liver Disease Prevention & Treatment Research Foundation, Taipei, Taiwan*

⁷ *Department of Family Medicine, National Taiwan University Hospital, Taipei, Taiwan*

⁸ *Graduate Institute of Physiology, College of Medicine, National Taiwan University, Taipei, Taiwan*

PO3.077

[WITHDRAWN]

Azevedo J L

Surgery, Federal University of Sao Paulo, Sao Paulo, Brazil



PO3.078

Impact of bariatric gut surgical rearrangement on glucose absorption in vitro

Lozinska L^{1,2}, Podpriatov SS³, Podpryatov SE³, Wolinski J⁴, Goncharova K^{1,5,2}, Weström B¹,
Pierzynowski S^{1,2,5,6}

¹ Dept Biol, Lund University, Lund, Sweden

² R & D, SGPlus, Trelleborg, Sweden

³ Clinical research centre of bonding/welding surgery and new surgical technologies, Kyiv municipal hospital clinic #1, Kyiv, Ukraine

⁴ Dept Endocrinology, KIAPAN Polish Academy of Sciences, Jablonna, Poland

⁵ R & D, Innovation Centr - Edoradca, Tczew, Poland

⁶ Dept Medical Biology, Inst of Rural Health, Lublin, Poland

PO3.079

Role of the duodenum in the regulation of glucose uptake after bariatric surgery - clinical data

Podpryatov SE¹, Podpriatov SS¹, Gichka SG¹, Korchak VP¹, Dovgich TA¹, Lozinska L^{2,3}, Woilinski J⁴,
Goncharova K^{2,3,5}, Pierzynowski SG^{2,3,5,6}

¹ Clinical Research Centre of Bonding/Welding Surgery and New Surgical Technologies, Kyiv Municipal Hospital Clinic #1, Kyiv, Ukraine

² Dept Biol, Lund University, Lund, Sweden

³ R & D, SGPlus, Trelleborg, Sweden

⁴ Dept Endocrinology, KIAPAN Polish Academy of Science, Jablonna, Poland

⁵ R & D, Innovation Centre - Edoradca, Tczew, Sweden

⁶ Dept Med Biol, Inst Rural Health, Lublin, Poland

PO3.080

Bile acids in morbidly obese submitted to sleeve gastrectomy

Catoi Galea AF¹, Galea RF², Mironiuc A², Parvu A¹, Chiorescu S²

¹ Functional Biosciences, "Iuliu Hațieganu" University of Medicine and Pharmacy, Cluj-Napoca, Romania

² Second Surgical Clinic, "Iuliu Hațieganu" University of Medicine and Pharmacy, Cluj-Napoca, Romania

PO3.081

Ghrelin levels after gastric plication and sleeve gastrectomy in an experimental model of obesity

Cabrera A, Sabench F, Vives M, Raga E, Molina E, Muñoz A, Sánchez A, París M, Blanco S, Hernández M, Homa E, Domènech J, Homs E, Piñana ML, Del Castillo D
Surgery, University Hospital of Sant Joan. Rovira i Virgili University, Reus, Spain

PO3.082

Acute complement C3 veranderingen ten gevolge van bariatrische chirurgie

van Mil S R¹, Biter L U¹, van de Geijn G J M², Mannaerts G H H¹, Apers J A¹, Castro Cabezas M³

¹ Surgery, Sint Franciscus Gasthuis, Rotterdam, Netherlands

² Clinical Chemistry, Sint Franciscus Gasthuis, Rotterdam, Netherlands

³ Internal Medicine, Sint Franciscus Gasthuis, Rotterdam, Netherlands



PO3.083

Factors Leading to Self-removal from the Bariatric Surgery Program after Attending the Orientation Session

Yang K¹, Zhang B², Kastanias P³, Wang W³, Okraniec A^{3,1}, Sockalingam S^{3,1}

¹ *Medicine, University of Toronto, Toronto, Canada*

² *Engineering Science, University of Toronto, Toronto, Canada*

³ *Bariatric Surgery Program, Toronto Western Hospital, Toronto Ontario, Canada*

PO3.084

Sarcopenia is associated with insulin resistance and the early phase of type 2 diabetes: the Korean Health and Genome Study (KHGS)

Son JW¹, Lee SS¹, Kim SR¹, Yoo SJ¹, Nam H Cho²

¹ *Internal medicine, Bucheon St. Mary's Hospital, The Catholic University of Korea, Bucheon, South Korea*

² *Preventive medicine, Ajou University School of Medicine, Suwon, South Korea*

PO3.085

Torsion of the Wandering Spleen and Pancreatic Tail precipitating Diabetic Ketoacidosis in a Prader Willi syndrome patient

Loh WJ¹, Tham KW¹, Chan WH²

¹ *Department of Endocrinology, Singapore General Hospital, Singapore, Singapore*

² *Department of Upper GI and Bariatric, Singapore General Hospital, Singapore, Singapore*

PO3.086

Fecal score as a measurement for changes in bowel habits after roux-en-y gastric bypass: a prospective study

Schijns W¹, Aarts E O¹, Berends F J¹, Janssen I M C¹, Schweitzer D H²

¹ *Bariatric Surgery, Rijnstate, Arnhem, Netherlands*

² *Endocrinology, Reinier de Graaf Group of Hospitals, Delft, Netherlands*

PO3.087

Surgeons on laparoscopic sleeve gastrectomy learning curve do not worsen effects of bariatric treatment

Major P¹, Matłok M¹, Pędziwiatr M¹, Wysocki M², Pasek S², Jabłoński Sz², Stefura T², Małczak P², Budzyński A¹

¹ *2nd Department of General Surgery, Jagiellonian University Medical College, Krakow, Poland*

² *2nd Department of General Surgery, Students' Society of Science, Jagiellonian University Medical College, Krakow, Poland*

PO3.088

Six years results of revisional laparoscopic Roux-en-Y gastric bypass (rLRYGB) after failed gastric banding (LAGB)

Vinzens F¹, Kilchenmann A¹, Zumstein V¹, Slawik M², Gebhart M², Peters T², Peterli R¹

¹ *Visceral Surgery, St. Claraspital, Basel, Switzerland*

² *Interdisciplinary Center of Nutritional and Metabolic Diseases, St. Claraspital, Basel, Switzerland*



PO3.089

Population estimates and characteristics of Australians potentially eligible for bariatric surgery – findings from the 2011/13 Australian Health Survey

Sharman MJ¹, Breslin MC¹, Kuzminov A¹, Palmer AJ¹, Blizzard CL¹, Hensher M², Venn AJ¹

¹ *Menzies Institute for Medical Research, University of Tasmania, Hobart, Australia*

² *Health and Human Services, Tasmanian Government, Hobart, Australia*

PO3.090

The experience of waiting for publicly-funded bariatric surgery

Sharman MJ¹, Venn AJ¹, Hensher M², Wilkinson S², Palmer AJ¹, Williams D³, Jose K¹, Ezzy D⁴

¹ *Menzies Institute for Medical Research, University of Tasmania, Hobart, Australia*

² *Health and Human Services, Tasmanian Government, Hobart, Australia*

³ *School of Nursing and Midwifery, University of Tasmania, Hobart, Australia*

⁴ *School of Social Sciences, University of Tasmania, Hobart, Australia*

PO3.091

Different supplementation regimes to treat perioperative vitamin B12 deficiencies in bariatric surgery: a systematic review

Smelt HJM¹, Pouwels S², Smulders JF²

¹ *Dietetics, Catharina Hospital, Eindhoven, Netherlands*

² *Surgery, Catharina Hospital, Eindhoven, Netherlands*

PO3.092

[WITHDRAWN]

Goldstein N¹, Haim Y¹, Slutsky N¹, Kirshtein B², Harman-Boehm I², Vaterescu M¹, Gepner Y³, Shai I³, Bashan N¹, Blüher M⁴, Rudich A^{1,5}

¹ *Department of Clinical Biochemistry and Pharmacology, Ben-Gurion University of the Negev, Beer-Sheva, Israel*

² *Soroka Academic Medical Center and Faculty of Health Sciences, Ben-Gurion University of the Negev, Beer-Sheva, Israel*

³ *Department of Epidemiology, Ben-Gurion University of the Negev, Beer-Sheva, Israel*

⁴ *Department of Medicine, University of Leipzig, Leipzig, Germany*

⁵ *National Institute of Biotechnology in the Negev, Ben-Gurion University of the Negev, Beer-Sheva, Israel*

PO3.093

Optimizing postoperative outcomes after gastric bypass surgery - the influence of dietary protein and its amino acid composition: a systematic review

van den Broek M¹, de Heide L J M¹, Veeger N J G M^{2,3}, van der Wal-Oost A M⁴, van Beek A P⁵

¹ *Internal Medicine, Medical Center Leeuwarden, Netherlands*

² *Epidemiology, Medical Center Leeuwarden, Netherlands*

³ *Epidemiology, University of Groningen, University Medical Center Groningen, Netherlands*

⁴ *MCL academy, Medical Center Leeuwarden, Leeuwarden, Netherlands*

⁵ *Endocrinology, University of Groningen, University Medical Center Groningen, Netherlands*



PO3.094

Discrepancies in the relation of BMI, adipose tissue volume, classic cardiovascular risk factors and adipose tissue inflammation

van Mil S R¹, Vijgen G H¹, van Huisstede A², Klop B³, van de Geijn G J M⁴, Braunstahl G J², Mannaerts G H H¹, Biter L U¹, Castro Cabezas M³

¹ Surgery, Franciscus Gasthuis, Rotterdam, Netherlands

² Pulmonology, Franciscus Gasthuis, Rotterdam, Netherlands

³ Internal medicine, Franciscus Gasthuis, Rotterdam, Netherlands

⁴ Clinical Chemistry, Franciscus Gasthuis, Rotterdam, Netherlands

PO3.095

A cost-effectiveness analysis of multivitamin supplementation in morbid obese patients after Roux-en-Y Gastric Bypass

Homan J¹, Schijns W¹, Aarts E O¹, van Laarhoven C J H M², Janssen I M C¹, Berends F J¹

¹ Surgery, Rijnstate Hospital, Arnhem, Netherlands

² Surgery, Radboud University Medical Center, Nijmegen, Netherlands

PO3.096

Long-term results of Laparoscopic Sleeve Gastrectomy for morbid obesity: 5 to 8 year results

Gadiot R P M¹, Biter L U², van Mil S², Zengerink J F², Apers J², Mannaerts G H H³

¹ Surgery, Erasmus University Medical Center, Rotterdam, Netherlands

² Surgery, Sint Franciscus Gasthuis, Rotterdam, Netherlands

³ Surgery, Tawam Hospital, Al Ain Abu Dhabi, United Arab Emirates

PO3.097

[WITHDRAWN]

Khatibsemnani R

Surgery, Islamic Azad University, Tehran Medical Unit, Tehran, Iran

PO3.098

[WITHDRAWN]

Renaudin N

Public Affairs, Edenred, Brussels, Belgium

PO3.099

The effect of obesity on anti-Xa concentrations in bariatric patients

Schijns W¹, Deenen M J², Aarts E O¹, Homan J¹, Janssen I M C¹, Berends F J¹, Kaasjager K A H³

¹ Bariatric surgery, Rijnstate, Arnhem, Netherlands

² Clinical Pharmacy, Rijnstate, Arnhem, Netherlands

³ Internal Medicine, Rijnstate, Arnhem, Netherlands



PO3.100

Physical functioning one year after bariatric surgery compared to non-operated controls

Wilms B¹, Waldburger R¹, Zazai R², Ernst B³, Thurnheer M³, Schultes B*³, Spengler CM^{*1,4}

¹ Exercise Physiology Lab, Institute of Human Movement Sciences and Sport, ETH Zurich, Switzerland

² Department of Surgery, Cantonal Hospital St. Gallen, Switzerland

³ Interdisciplinary Obesity Center, eSwiss Medical & Surgical Center, St. Gallen, Switzerland

⁴ Zurich Center for Integrative Human Physiology, University of Zurich, Switzerland

PO3.101

The effects of Ramadan fasting on resting metabolic rate in healthy non-obese individuals

Saadane I, Hassan S, Barakat M T, Lessan N

Research department, Imperial College London Diabetes Centre, Abu Dhabi, United Arab Emirates

PO3.102

Changes in iron absorption after Roux-en-Y gastric bypass

Schijns W¹, Ligthart M A P¹, Berends F J¹, Janssen I M C¹, Laarhoven van C J H M², Boer de H³, Aarts E O¹

¹ Bariatric Surgery, Rijnstate, Arnhem, Netherlands

² Surgery, Radboudumc, Nijmegen, Netherlands

³ Internal Medicine, Rijnstate, Arnhem, Netherlands

PO3.103

It is possible to by-pass the learning curve in bariatric surgery?

Timofte D¹, Vlasceanu V¹, Soroceanu P¹, Pintilei-Reurean Delia², Blaj M¹, Mitrofan E¹

¹ The 3rd Surgical Unit, University of Medicine and Pharmacy Gr. T. Popa Iasi, Iasi, Romania

² Nutrition, Consultmed Hospital, Iasi, Romania

PO3.104

Efficacy of oral versus intramuscular vitamin B12 supplementation following Roux-en-Y gastric bypass

Schijns W, Meer van der L, Deden L, Janssen I M C, Berends F J, Aarts E O

Bariatric surgery, Rijnstate, Arnhem, Netherlands

PO3.105

Volume of resected stomach seems to correlate with 1-year weight loss. MDCT scan measurement of gastric volume pre and post sleeve gastrectomy

Rodríguez-Otero C¹, Balagué C¹, Garay M¹, Targarona EM¹, Pernas JC², Fernández-Ananín S¹, Turrado V¹, Gonzalo B¹, Trias M¹

¹ General Surgery, Hospital de la Santa Creu i Sant Pau, Barcelona, Spain

² Radiology, Hospital de la Santa Creu i Sant Pau, Barcelona, Spain



PO3.106

Three and a half years of bariatric surgery at the „St. Spiridon” Hospital – experience of the anesthetic team

Timofte D¹, Padureanu S¹, Damian M², Ciumanghel A², Blaj M²

¹ *The 3rd Surgical Unit, University of Medicine and Pharmacy Gr. T. Popa, Iasi, Romania*

² *Intensive Care Unit, University of Medicine and Pharmacy Gr. T. Popa, Iasi, Romania*

PO3.107

Changes in incretines and bile acids after Roux-en-Y Gastric Bypass

Cooiman M¹, Deden L¹, Homan J¹, Aarts EO¹, Roux CW le², Janssen IMC¹, Berends FJ¹

¹ *Bariatric Surgery, Rijnstate, Arnhem, Netherlands*

² *Metabolic Medicine, Imperial College London, London, United Kingdom*

PO3.108

Obesity genetics in bariatric surgery

Cooiman M¹, Homan J¹, Aarts EO¹, Berends FJ¹, Janssen IMC¹, Ploos van Amstel HK², Zwaag van der A², Haelst van MM²

¹ *Bariatric Surgery, Rijnstate, Arnhem, Netherlands*

² *Medical Genetics, University Medical Centre, Utrecht, Netherlands*

PO3.109

The addition of Hiatal Hernia Repair to Laparoscopic Sleeve Gastrectomy is safe and not associated with added morbidity: Analysis of the ACS-NSQIP Database

Safadi B, Aridi H, Tamim H

Surgery, American University of Beirut Medical Center, Beirut, Lebanon

PO3.110

Revisonal surgery for patient with Primary Obesity Surgery Endolumenal [POSE] procedure previous to conversion to sleeve gastrectomy

Vilallonga R^{1,2}, Alvarenga L², Kraft M², Fort Jm², Curell A², Villanueva B¹, Serrano T³

¹ *Surgery Department, Hospital de Barcelona, Barcelona, Spain*

² *Endocrine Bariatric and Metabolic Unit, Univesitary Hospital Vall hebron, Barcelona, Spain*

³ *Pathology department, Hospital de Barcelona, Barcelona, Spain*

PO3.111

Health Related Quality of Life after RYGB; effect of weight change

Montpellier V M¹, Antoniou E.E², Aarts E O³, Janssen I M C¹, Jansen A²

¹ *Bariatric Surgery, Dutch Obesity Clinic, Huis ter Heide, Netherlands*

² *Faculty of Psychology and Neuroscience, Maastricht University, Maastricht, Netherlands*

³ *Bariatric Surgery, Vitalys, Arnhem, Netherlands*



PO3.112

Risk of Metformin-associated Lactic Acidosis (MALA) after Gastric Bypass

Deden L N¹, Aelfers S¹, Aarts E O¹, Schijns W¹, Janssen I M C¹, Berends F J¹, de Boer H²

¹ Surgery, Rijnstate, Arnhem, Netherlands

² Internal medicine, Rijnstate, Arnhem, Netherlands

PO3.113

Robotic versus laparoscopic Roux-en-Y gastric bypass: comparison of short-term surgical outcomes

Bedirli A, Keceoglu S, Seyidov M

General Surgery, Gazi University, Ankara, Turkey

PO3.114

Effects of gastric bypass surgery and weight reduction on Anti-Müllerian Hormone

Nilsson-Condori E^{1,2}, Hedenbro J³, Thurin-Kjellberg A⁴, Giwercman A², Friberg B²

¹ Kvinnokliniken, Centralsjukhuset Kristianstad, Kristianstad, Sweden

² Molecular Reproductive Medicine, Dept. of Translational Medicine, Lund University, Malmö, Sweden

³ Department of Surgery, Clinical Sciences Lund University, Lund, Sweden

⁴ Department of Obstetrics and Gynaecology, Sahlgrenska Academy, University of Gothenburg
Sahlgrenska University Hospital, Gothenburg, Sweden

PO3.115

Assessment of regenerative processes in the stomach wall in case of staple-line glue protection in sleeve gastrectomy simulation with rabbits: the experiment methodology

Samoylov V^{1,2}, Nalivaiko V³, Atiakshin D⁴

¹ Surgery, Non-State Health Care Facility "Road hospital Station Voronezh-1 JSC "Russian Railways", Voronezh, Russian Federation

² General Surgery, Voronezh State Medical University named after N.N. Burdenko, Voronezh, Russian Federation

³ Anesthesiology, Non-State Health Care Facility "Road hospital Station Voronezh-1 JSC "Russian Railways", Voronezh, Russian Federation

⁴ Scientific Research Institute of Experimental Biology, Voronezh State Medical University named after N.N. Burdenko, Voronezh, Russian Federation

PO3.116

Laparoscopic Roux-en-Y Gastric Bypass Versus Laparoscopic Sleeve Gastrectomy: A Single Center Experience

Alexandrou A, Davakis S, Sakarellos P, Orfanos S, Athanasiou A, Diamantis T, Liakakos T

^{1st} Surgery Department, Laikon General Hospital, National and Kapodistrian University of Athens, Athens, Greece

PO3.117

A matched pairs analysis between the mini gastric bypass and the roux-en-y gastric bypass

Plamper A, Kolec S, Rheinwalt K

Bariatric and Metabolic Surgery, St. Franziskus-Hospital, Cologne, Germany



PO3.118

[WITHDRAWN]

Joel A, Woodcock S, Seymour K, Brown J

Bariatric Surgery, Northumbria NHS Trust, Newcastle, United Kingdom

PO3.119

Laparoscopic reanastomosis due to gastrojejunal stenosis after gastric bypass

Pizzera Ch, Tadler F, Rosanelli G

Surgical department, Krankenhaus der Elisabethinen Graz, Graz, Austria

PO3.120

Revision bariatric surgery: the RNY gastric bypass as last resort

Uijtterhaegen G, Horevoets J, Devroe K, Dillemans B

General Surgery, AZ Sint Jan Brugge, Bruges, Belgium

PO3.121

Re-do surgery-eroded gastric band - laparoscopic sleeve gastrectomy

Taskin H E, Zengin U, Umman V, Demir I, Soylu S, Taskin M

General Surgery, Istanbul University, Cerrahpasa Medical Faculty, Istanbul, Turkey

PO3.122

Re-do surgery- failed laparoscopic gastrectomy to laporoscopic minigastric bypass in a bipolar patient

Taskin H E, Zengin U, Soylu S, Umman V, Demir I, Taskin M

General Surgery, Istanbul University, Cerrahpasa Medical Faculty, Istanbul, Turkey

PO3.123

Revisional surgery – failed sleeve gastrectomy to re-sleeve gastrectomy

Taskin H E, Zengin U, Soylu S, Demir I, Umman V, Taskin M

General Surgery, Istanbul University, Cerrahpasa Medical Faculty, Istanbul, Turkey

PO3.124

Laparoscopic management of sleeve migration by conversion into gastric by pass with mesh reinforced hiatoplasty

Abdelgawad M, Iossa A, De Angelis F, Guida A, Silecchia G

Department of Medico-Surgical Sciences and Biotechnology, Division of general surgery & Bariatric Center of Excellence, Sapienza University of Rome, Latina, Italy

PO3.125

Banded pouch for weight regain after gastric bypass

Abdelgawad M, Iossa A, De Angelis F, Guida A, Silecchia G

Department of Medico-Surgical Sciences and Biotechnology, Division of general surgery & Bariatric Center of Excellence, Latina, Italy



PO3.126

Laparoscopic Fistulo-jejunostomy to treat staple line leak following Laparoscopic Sleeve Gastrectomy

Safadi B, Aridi H, Shamseddine G

Surgery, American University of Beirut Medical Center, Beirut, Lebanon

PO3.127

Laparoscopic hiatal hernia repair is a safe and effective option for symptomatic hiatal hernia that develop after Laparoscopic Sleeve Gastrectomy

Safadi B, Aridi H, Shamseddine G

Surgery, American University of Beirut Medical Center, Beirut, Lebanon

PO3.128

Removing a gastric bypass and restoration of normal anatomic continuity

Fournier P¹, Martin D¹, Allemann P¹, Demartines N¹, Suter M^{2,1}

¹ *Department of Visceral Surgery, University Hospital CHUV, Lausanne, Switzerland*

² *Department of Surgery, Hospital Riviera Chablais, Monthey, Switzerland*

PO3.129

Phytobezoar post Roux -en -Y gastric bypass

Berry M, Dominguez M, Urrutia L, Schulz M, Zanabria R

Surgery, Clinica Las Condes, Santiago, Chile